Volume Contents 2000

NUMBER 1

Carbohydrate Science. Part 1

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
	xiii	Preface
		ARTICLES
N. Asano, H. Kuroi, K. Ikeda, H. Kizu, Y. Kameda, A. Kato, I. Adachi, A. A. Watson, R. J. Nash and G. W. J. Fleet	1	New polyhydroxylated pyrrolizidine alkaloids from *Muscari armeniacum*: structural determination and biological activity
C. T. Kriss, B.-S. Lou, L. Z. Szabò, S. A. Mitchell, V. J. Hruby and R. Polt	9	Enkephalin-based drug design: conformational analysis of O-linked glycopeptides by NMR and molecular modeling
S. Immel, F. W. Lichtenthaler, H. J. Lindner, K. Fujita, M. Fukudome and Y. Nogami	27	The 2,3-anhydro-α-cyclomannin-1-propanol hexahydrate: topography, lipophilicity pattern and solid-state architecture
M. Martin-Lomas, P. M. Nieto, N. Khiar, S. García, M. Flores-Mosquera, E. Poirot, J. Angulo and J. L. Muñoz	37	The solution conformation of glycosyl inositols related to inositolphosphoglycan (IPG) mediators
J. C. Wilson, R. J. Thomson, J. C. Dyason, P. Florio, K. J. Quelch, S. Abo and M. von Itzstein	53	The design, synthesis and biological evaluation of neuraminic acid-based probes of *Vibrio cholerae* sialidase
K. Mills, A. W. Johnson, O. Diettrich, P. T. Clayton and B. G. Winchester	75	A strategy for the identification of site-specific glycosylation in glycoproteins using MALDI TOF MS
J. B. Corbell, J. J. Lundquist and E. J. Toone	95	A comparison of biological and calorimetric analyses of multivalent glycodendrimer ligands for concanavalin A
T. D. Butters, L. A. G. M. van den Broek, G. W. J. Fleet, T. M. Krulle, M. R. Wormald, R. A. Dwek and F. M. Platt	113	Molecular requirements of imino sugars for the selective control of N-linked glycosylation and glycosphingolipid biosynthesis
G. Singh and H. Vankayalapati	125	A new glycosylation strategy for the synthesis of mannopyranosides
G. R. Smith, F. J. Villani Jr., L. Failli and R. M. Giuliano	139	Synthesis of phenyl 3,4-di-*O*-benzyl-2,6-dideoxy-3-*C*-methyl-1-thio-α,β-L-*xylo*-hexopyranoside. A glycosyl donor for axenose
V. Pozsgay	151	A new strategy in oligosaccharide synthesis using lipophilic protecting groups: synthesis of a tetracosasaccharide
D. K. Baeschlin, L. G. Green, M. G. Hahn, B. Hinzen, S. J. Ince and S. V. Ley	173	Rapid assembly of oligosaccharides: 1,2-diacetal-mediated reactivity tuning in the coupling of glycosyl fluorides
T. Zhu and G.-J. Boons	199	A new set of orthogonal-protecting groups for oligosaccharide synthesis on a polymeric support
K. D. Randell, B. D. Johnston, E. E. Lee and B. M. Pinto	207	Synthesis of oligosaccharide fragments of the glycosylinositolphospholipid of *Trypanosoma cruzi*: a new selenoglycoside glycosyl donor for the preparation of 4-thiogalactofuranosyl analogues

S. Singh, M. Scigelova and D. H. G. Crout	223	Glycosidase-catalysed synthesis of mannobioses by the reverse hydrolysis activity of α-mannosidase: partial purification of α-mannosidases from almond meal, limpets and *Aspergillus niger*
R. J. Tennant-Eyles, B. G. Davis and A. J. Fairbanks	231	Peptide templated glycosylation reactions
B. G. Davis, M. A. T. Maughan, M. P. Green, A. Ullman and J. B. Jones	245	Glycomethanethiosulfonates: powerful reagents for protein glycosylation
Y.-H. Zhu, R. Demange and P. Vogel	263	Convergent syntheses of C(1→3)-linked disaccharides starting from isolevoglucosenone
M. Sollogoub, A. J. Pearce, A. Hérault and P. Sinaÿ	283	Synthesis of carba-β-D- and L-idopyranosides by rearrangement of unsaturated sugars
L. Cipolla, B. La Ferla, L. Lay, F. Peri and F. Nicotra	295	Stereoselective synthesis of α-*C*-glycosides of *N*-acetylgalactosamine
A. Dondoni, A. Marra and C. Pasti	305	Stereoselective synthesis of *C*-glycosylphosphonates from their ketols. Reconsideration of an abandoned route
M. Reiner and R. R. Schmidt	319	Synthesis of 3-deoxy-D-*manno*-2-octulosonic acid (Kdo) and D-*glycero*-D-*talo*-2-octulosonic acid (Ko) and their α-glycosides
	A1	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 2

Carbohydrate Science. Part 2

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
	xv	Preface
		TETRAHEDRON: ASYMMETRY REPORT NUMBER 46
K. D. McReynolds and J. Gervay-Hague	337	Examining the secondary structures of unnatural peptides and carbohydrate-based compounds utilizing circular dichroism
		COMMUNICATIONS
M. Sutton-Smith, H. R. Morris and A. Dell	363	A rapid mass spectrometric strategy suitable for the investigation of glycan alterations in knockout mice
M. Stöver, A. Lützen and P. Köll	371	New glyco-oxazolidin-2-ones as chiral auxiliaries in boron-mediated asymmetric aldol reactions
P. Allef and H. Kunz	375	Glycosylation-induced asymmetric synthesis: β-amino acid esters via Mannich reactions
R. Blattner, R. J. Ferrier and R. H. Furneaux	379	Intervention of catalytic amounts of water in the allylic rearrangements of glycal derivatives
S. D. Debenham and E. J. Toone	385	Regioselective reduction of 4,6-*O*-benzylidenes using triethylsilane and $BF_3{\cdot}Et_2O$
M. Ichikawa, A. S. Woods, H. Mo, I. J. Goldstein and Y. Ichikawa	389	Simple preparation of multi-valent cyclodextrin–carbohydrate conjugates
M. Lobbel and P. Köll	393	Ring-closing metathesis as a new strategy for the C–C coupling of monosaccharide derivatives via silicon tethering
R. D. Marwood, V. Correa, C. W. Taylor and B. V. L. Potter	397	Synthesis of adenophostin A

L. Somsák, V. Nagy, T. Docsa, B. Tóth and P. Gergely	405	Gram-scale synthesis of a glucopyranosylidene-spiro-thiohydantoin and its effect on hepatic glycogen metabolism studied in vitro and in vivo
C. Rousseau and O. R. Martin	409	Synthesis of bergenin-related natural products by way of an intramolecular *C*-glycosylation reaction
G. N. Jenkins, A. V. Stachulski, F. Scheinmann and N. J. Turner	413	The enzymatic glucuronidation of 3-*O*-protected morphine—a new route to 7,8-dihydromorphine-6-glucuronide
Y. Lakhrissi, C. Taillefumier, M. Lakhrissi and Y. Chapleur	417	Efficient conditions for the synthesis of *C*-glycosylidene derivatives: a direct and stereoselective route to *C*-glycosyl compounds
		ARTICLES
R. Saul, J. Kopf and P. Köll	423	Synthesis of a new chiral oxazolidinone auxiliary based on D-xylose and its application to the Staudinger reaction
C. Gasch, M. A. Pradera, B. A. B. Salameh, J. L. Molina and J. Fuentes	435	Chiral thioxohydroimidazoles with two sugar moieties. *N*-, *C*-, and spiro-nucleosides
K. Takao, H. Saegusa, G. Watanabe and K. Tadano	453	Stereoselective carbon–carbon bond forming reactions of chiral cyclopent-2-enone and cyclopentene-1-methanol, both spiro-connecting a 1,2:5,6-di-*O*-isopropylidene-α-D-glucofuranosyl ring
H. N. Yu, P. Zhang, C.-C. Ling and D. R. Bundle	465	A practical route to 3,6-dideoxyhexoses
C. Bernlind, S. Bennett and S. Oscarson	481	Synthesis of a D,D- and L,D-heptose-containing hexasaccharide corresponding to a structure from *Haemophilus ducreyi* lipopolysaccharides
T. Soler, A. Bachki, L. R. Falvello, F. Foubelo and M. Yus	493	Structural modification of carbohydrates via functionalised organolithium intermediates: EPC preparation of branched-chain functionalised sugars
Z. J. Witczak, H. Chen and P. Kaplon	519	Thio-sugars. Part 5: From D-glucal to 3-deoxy-(1→2)-2-*S*-thiodisaccharides through isolevoglucosenone—a simple approach
J.-P. Praly, C. Di Stèfano and L. Somsák	533	Photolysis of glycopyranosyl azides C-1 substituted by cyano-, amido-, or tetrazolyl-groups
H. J. Vermeer, J. P. Kamerling and J. F. G. Vliegenthart	539	Synthesis and conjugation of a sulfated disaccharide involved in the aggregation process of the marine sponge *Microciona prolifera*
A. Borbás, G. Szabovik, Z. Antal, K. Fehér, M. Csávás, L. Szilágyi, P. Herczegh and A. Lipták	549	Sulfonic acid analogues of the sialyl Lewis X tetrasaccharide
M. Godskesen, I. Lundt and I. Sotofte	567	Unusual ring contraction by substitution of 4-*O*-activated-pentono-1,5-lactams with cyanide. Stereospecific synthesis of 6-amino-1,4,5,6-tetradeoxy-1,4-imino-hexitols
K. P. R. Kartha, P. Cura, M. Aloui, S. K. Readman, T. J. Rutherford and R. A. Field	581	Observations on the activation of methyl thioglycosides by iodine and its interhalogen compounds
A. H. C. Chang, D. Horton and P. Kováč	595	Syntheses of fluorinated ligands to probe binding of antigenic determinants of *Vibrio cholerae* O:1, serotypes Inaba and Ogawa, to antibodies
P. Hadwiger, P. Mayr, B. Nidetzky, A. E. Stütz and A. Tauss	607	Synthesis of 5,6-dimodified open-chain D-fructose derivatives and their properties as substrates of bacterial polyol dehydrogenase
G. M. Watt, S. L. Flitsch, S. Fey, L. Elling and U. Kragl	621	The preparation of deoxy derivatives of mannose-1-phosphate and their substrate specificity towards recombinant GDP-mannose pyrophosphorylase from *Salmonella enterica*, group B
C. Morin and L. Ogier	629	Higher iodinated analogues of D-glucose: syntheses of 3-*C*-iodomethyl, 6-*C*-iodomethyl and 6-*C*-iodophenyl derivatives
W. Klaffke and S. Chambon	639	Chemo-enzymatic synthesis of TDP-β-L-ascarylose
	A35	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 3

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		TETRAHEDRON: ASYMMETRY REPORT NUMBER 47
C. Cativiela and M. D. Díaz-de-Villegas	645	Stereoselective synthesis of quaternary α-amino acids. Part 2: Cyclic compounds
		COMMUNICATIONS
Y. Ukaji, Y. Yoshida and K. Inomata	733	Asymmetric addition of a Reformatsky-type reagent to 3,4-dihydroisoquinoline *N*-oxides
M. Calmes, C. Glot, T. Michel, M. Rolland and J. Martinez	737	Dynamic kinetic resolution of racemic *N*-phthalyl amino acids using (*S*)-α-methylpantolactone as the chiral auxiliary
		ARTICLES
H. B. Mereyala and R. R. Gadikota	743	A general strategy for the formal synthesis of (–)-*trans*-kumausyne and total synthesis of (5*R*)-Hagen's gland lactones from diacetone-D-glucose
C. M. Schuch and R. A. Pilli	753	Creation of quaternary stereocenters by the addition of allyltributyltin to chiral cyclic *N*-acyliminium ions
P. A. Zunszain and O. Varela	765	Two approaches to the enantioselective synthesis of (4*R*)-(–)-4-hydroxymethyl-4-thiobutyro-1,4-lactone
M. Shi and W.-S. Sui	773	Chiral diphenylthiophosphoramides: a new class of chiral ligands for the silver(I)-promoted enantioselective allylation of aldehydes
Y. Gan, A. Li, X. Pan, A. S. C. Chan and T.-K. Yang	781	Stereoselective synthesis of (–)-6,7-dehydroferruginyl methyl ether
Y. Arroyo-Gómez, J. F. Rodríguez-Amo, M. Santos-García and M. A. Sanz-Tejedor	789	A highly stereoselective synthesis of D-erythrose derivatives by one-carbon homologation of 2,3-*O*-isopropylidene-D-glyceraldehyde with (*R*)-methyl *p*-tolyl sulfoxide
K. Hiroi, T. Watanabe, R. Kawagishi and I. Abe	797	Catalytic use of chiral phosphine ligands in asymmetric Pauson–Khand reactions
J. Bálint, G. Egri, G. Vass, J. Schindler, A. Gajáry, A. Friesz and E. Fogassy	809	Resolution of the flumequine intermediate 6-fluoro-2-methyl-1,2,3,4-tetrahydroquinoline
A. Patti and G. Nicolosi	815	Chemoenzymatic approach to novel chiral difunctionalised ferrocenes
M. Abo, M. Dejima, F. Asano, A. Okubo and S. Yamazaki	823	Electrochemical enzymatic deoxygenation of chiral sulfoxides utilizing DMSO reductase
H. Hioki, T. Hashimoto and M. Kodama	829	Efficient kinetic resolution of (±)-4-methyl-Hajos–Parrish ketone by baker's yeast reduction
M. Shi and W.-S. Sui	835	Chiral diphenylselenophosphoramides: a new class of chiral ligands for the titanium(IV) alkoxide-promoted addition of diethylzinc to aldehydes
	843	Corrigendum
	A99	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 4

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		ARTICLES
M. Yan, Q.-Y. Xu and A. S. C. Chan	845	Asymmetric hydrocyanation of olefins catalyzed by chiral diphosphite–nickel complexes

T. Kato, T. Ishimatu, A. Aikawa, K. Taniguchi, T. Kurahashi and T. Nakai	851	Preparation of the enantiomers of 19-epoxy docosahexaenoic acids and their 4-hydroxy derivatives
E. M. Cayuela, L. Xiao, T. Sturm, B. R. Manzano, F. A. Jalon and W. Weissensteiner	861	Synthesis of enantiopure 1,1'-(1-dimethylamino-propanediyl)ferrocene via a highly diastereoselective imine reduction
O. Pàmies, G. Net, A. Ruiz, C. Claver and S. Woodward	871	Copper-catalysed asymmetric conjugate addition of organometallic reagents to enones using S,O-ligands with a xylofuranose backbone
R. Zimmer, U. Hain, M. Berndt, R. Gewald and H.-U. Reissig	879	Enantioselective synthesis of (*S*)- and (*R*)-6-hydroxy-8-nonene-carboxylates by asymmetric catalysis: a formal synthesis of (*R*)-α-lipoic acid and its (*S*)-antipode
F. Tranel and G. Haufe	889	Lipase-catalyzed resolution of 2-fluorodecanoic acid
F. Pisaneschi, F. M. Cordero, A. Goti, R. Paugam, J. Ollivier, A. Brandi and J. Salaün	897	Diastereoselective cycloaddition of alkylidenecyclopropane nitrones from palladium(0)-catalyzed nucleophilic substitution of asymmetric 1-alkenylcyclopropyl esters by amino acids
P. Kiełbasiński	911	On the applicability of the Jones active site model of pig liver esterase to *S*-chiral and prochiral sulfinyl substrates
H.-J. Gais, C. Griebel and H. Buschmann	917	Enzymatic resolution of analgesics: δ-hydroxytramadol, ε-hydroxytramadol and *O*-desmethyltramadol
H. A. Sousa, J. G. Crespo and C. A. M. Afonso	929	Asymmetric hydrolysis of a *meso*-diester using pig liver esterase immobilised in hollow fibre ultrafiltration membrane
A. Solladié-Cavallo and L. Bouérat	935	2-Chloro and 2-fluoro ketones derived from the chiral-pool
J. Kula, T. B. Quang and M. Sikora	943	Synthesis of enantiomerically pure volatile compounds derived from (*R*)-3-hydroxynonanal
J. I. Martín Hernando, M. del Rosario Rico Ferreira, J. I. Candela Lena, N. Birlirakis and S. Arseniyadis	951	Studies towards the taxoid diterpene ABC-ring system: practical access to highly functionalized enantiomerically pure analogues of major group representatives
E. Licandro, S. Maiorana, C. Baldoli, L. Capella and D. Perdicchia	975	Enantioselective synthesis of (*R*)-(−)-baclofen using Fischer-type carbene anions
G. Vidari, A. Di Rosa, F. Castronovo and G. Zanoni	981	Enantioselective synthesis of each stereoisomer of the pyranoid linalool oxides: the geraniol route
M. García, A. Serra, M. Rubiralta, A. Diez, V. Segarra, E. Lozoya, H. Ryder and J. M. Palacios	991	Efficient method for the preparation of (*S*)-5-hydroxynorvaline
M. Nour, K. Tan, C. Cavé, D. Villeneuve, D. Desmaële, J. d'Angelo and C. Riche	995	α-Thiosubstituted chiral imines secondary enamines: their use in the asymmetric Michael reaction
P. Gärtner, M. F. Letschnig, M. Knollmüller and K. Mereiter	1003	[1,2]-Wittig rearrangement of acetals. Part 2: The influence of reaction conditions
R. Badorrey, C. Cativiela, M. D. Díaz-de-Villegas and J. A. Gálvez	1015	Asymmetric synthesis of (2*R*,3*S*)-4-halo-3-benzyloxy-2-(*N*-methoxycarbonyl-*N*-benzylamino)butyronitriles as precursors for the synthesis of β-hydroxy-α-amino acids
J. Raczko, M. Achmatowicz, P. Kwiatkowski, C. Chapuis, Z. Urbańczyk-Lipkowska and J. Jurczak	1027	Asymmetric *syn*-dihydroxylation of γ-substituted (2*R*)-*N*-(β,γ-enoyl)bornane-10,2-sultams
	A115	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 5

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
C. Sanfilippo, A. Patti, and G. Nicolosi	1043	A new resolution of (1α,2β,3α,4β)-2,3-dibromocyclohex-5-en-1,4-diol by lipase from *Mucor miehei*
L. E. Iglesias, F. Rebolledo and V. Gotor	1047	Enzymatic resolution of (±)-1-ferrocenylethylamine
T. Abellán, C. Nájera and J. M. Sansano	1051	Chiral (*Z*)-α,β-didehydroamino acid derivatives from a new chiral glycine equivalent with a 1,2,3,6-tetrahydropyrazin-2-one structure: applications to the synthesis of 1-aminocyclopropanecarboxylic acids and bicyclic α-amino acids
O. Plettenburg, S. Adelt, G. Vogel and H.-J. Altenbach	1057	De novo synthesis of the enantiomers Ins(1,2,3,4)P_4 and Ins(1,2,3,6)P_4—regiospecificity of their enzymatic dephosphorylation
T. Hirata, K. Shimoda and T. Kawano	1063	Asymmetric hydrolysis of enol esters with two esterases from *Marchantia polymorpha*
J. Wilken, M. Winter, I. Stahl and J. Martens	1067	Catalytic enantioselective addition of diethylzinc to 1,3-dithian-2-yl substituted aliphatic aldehydes: a new approach to optically active 2-(hydroxyalkyl)-1,3-dithianes
J. Wilken, M. Winter, I. Stahl and J. Martens	1073	Enantioselective synthesis of 1-(1,3-dioxolan-2-yl)-3-pentanol from 3-(1,3-dioxolan-2-yl)-propanal by catalytic ethylation
		ARTICLES
L. M. van Langen, F. van Rantwijk, V. K. Švedas and R. A. Sheldon	1077	Penicillin acylase-catalyzed peptide synthesis: a chemo-enzymatic route to stereoisomers of 3,6-diphenylpiperazine-2,5-dione
F. Effenberger and J. Roos	1085	Stereoselective synthesis of 3-amino-4,5-dihydroxyaldehydes—a novel preparation of *N*-acetyl-L-daunosamine
O. Pámies, G. Net, A. Ruiz and C. Claver	1097	Diphosphite ligands based on ribose backbone as suitable ligands in the hydrogenation and hydroformylation of prochiral olefins
J.-L. Yan and K. C. Wang	1109	Microbial reduction of 2-(6-*m*-methoxyphenyl-3-oxohexyl)-2,4-dimethyl-cyclopenta-1,3-dione with *Schizosaccharomyces pombe* (NRRLY-164)
M.-X. Wang, G. Lu, G.-J. Ji, Z.-T. Huang, O. Meth-Cohn and J. Colby	1123	Enantioselective biotransformations of racemic α-substituted phenylacetonitriles and phenylacetamides using *Rhodococcus* sp. AJ270
G. Delle Monache, D. Misiti, P. Salvatore and G. Zappia	1137	Iodolactonization of 3-amino-4-pentenoic acid: a stereoselective synthesis of *syn*-γ-hydroxy-β-amino acids
V. Dharma Rao and M. Periasamy	1151	Enantioselective synthesis of 2,3-diphenyl-1,4-butanediol via oxidative coupling of phenylacetic acid chiral 1,1′-bi-2-naphthyl ester using $TiCl_4$/Et_3N
Z. Li, Z. Zheng and H. Chen	1157	Highly efficient and enantioselective cyclopropanation of styrene with diazoacetates using a new copper-(Schiff-base) catalyst
P. Bataille, M. Paterne and E. Brown	1165	Diastereoselective $LiAlH_4$ reduction of chiral ketone hydrazones derived from (*R*)-(−)-2-aminobutan-1-ol
Y. Arroyo, M. C. Carreño, J. L. García Ruano, J. F. Rodríguez Amo, M. Santos and M. A. Sanz Tejedor	1183	Synthesis and photooxygenation of (*S*)-*p*-tolylsulfinylfuran derivatives
Y. Okuyama, H. Nakano and H. Hongo	1193	New chiral ligands, pyrrolidinyl- and 2-azanorbornylphosphinooxazolidines for palladium-catalyzed asymmetric allylation
K. Hirose, H. Naka, M. Yano, S. Ohashi, K. Naemura and Y. Tobe	1199	Improvement of enantioselectivity in kinetic resolution of a primary alcohol through lipase-catalyzed transesterification by using a chiral acyl donor
J. E. Kamińska, K. Śmigielski, D. Łobodzińska and J. Góra	1211	Kinetic resolution of racemic 2-(2-furyl)-2-hydroxyethyl acetate in the presence of PS lipase

M. T. Aranda, M. C. Aversa, A. Barattucci, P. Bonaccorsi, M. C. Carreño, M. B. Cid and J. L. García Ruano	1217	Synthesis of chiral 1- and 2-(*p*-tolylsulfinyl)-3-trimethylsilyloxybuta-1,3-dienes and their behaviour in Diels–Alder cycloadditions
J. L. Vicario, D. Badía, E. Domínguez and L. Carrillo	1227	Stereocontrolled synthesis of 2-aryl tetralones. Application in the synthesis of B C hexahydrobenzo[*c*]phenanthridine alkaloids
C. W. Tornøe, T. Sonke, I. Maes, H. E. Schoemaker and M. Meldal	1239	Enzymatic and chiral HPLC resolution of α-azido acids and amides
	A147	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 6

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
N. Harada, M. Watanabe, S. Kuwahara, A. Sugio, Y. Kasai, and A. Ichikawa	1249	2-Methoxy-2-(1-naphthyl)propionic acid, a powerful chiral auxiliary for enantioresolution of alcohols and determination of their absolute configurations by the ^{1}H NMR anisotropy method
X.-Y. Wu, H.-D. Xu, Q.-L. Zhou and A. S. C. Chan	1255	Enantioselective Heck-type hydroarylation of norbornene with phenyl iodide catalyzed by palladium quinolinyl-oxazolines
F. Paradisi, G. Porzi, S. Rinaldi and S. Sandri	1259	A simple asymmetric synthesis of (+)- and (–)-2,6-diaminopimelic acids
M. Calmes, F. Escale, E. Juan, M. Rolland and J. Martinez	1263	First asymmetric synthesis of (*R*)-(–)-α-phenyl δ-amino valeric acid
G. B. Jones and M. Guzel	1267	Catalytic enantioselective cycloadditions: a readily available Diels–Alder catalyst
		ARTICLES
S. Reymond, J. M. Brunel and G. Buono	1273	New chiral organophosphorus derivatizing agent for the determination of enantiomeric composition of chloro- and bromohydrins by ^{31}P NMR spectroscopy
L. J. Whalen and C. J. Morrow	1279	Resolution of a chiral alcohol through lipase-catalyzed transesterification of its mixed carbonate by poly(ethylene glycol) in organic media
G. Laval, G. Cardillo, H. Monti, A. Tolomelli, G. Audran and J.-M. Galano	1289	Lipase-mediated kinetic resolution of allylic(hydroxymethyl)methylene-cyclopentane building blocks
S. Lochyński, J. Kuldo, B. Frąckowiak, J. Holband and G. Wójcik	1295	Stereochemistry of terpene derivatives. Part 2: Synthesis of new chiral amino acids with potential neuroactivity
D. Szabó, J. Varga, A. Csámpai and I. Kapovits	1303	Optically active cyclic diaryl(alkoxy)sulfonium salts with intramolecular S···O interaction: synthesis absolute configuration and stereoselective hydrolysis
G. Iacazio, D. Martini, S. Sanchez and B. Faure	1313	Enzymatic resolution of *syn*-2-azido-1,3,4-trihydroxybutane catalysed by lipases in the transesterification mode
J. Bálint, Z. Hell, I. Markovits, L. Párkányi and E. Fogassy	1323	Synthesis and resolution of a Tolperisone metabolite
M. I. García-Moreno, J. M. Benito, C. Ortiz Mellet and J. M. García Fernández	1331	Nitrogen versus sulfur acylation in sugar thioureas: regioselectivity and conformational consequences

B. Kaptein, H. Elsenberg, R. F. P. Grimbergen, Q. B. Broxterman, L. A. Hulshof, K. L. Pouwer and T. R. Vries	1343	Dutch resolution of racemic 4-hydroxy- and 4-fluorophenylglycine with mixtures of phenylglycine and (+)-10-camphorsulfonic acid
S. Drioli, C. Forzato, P. Nitti, G. Pitacco and E. Valentin	1353	Chemoenzymatic synthesis of optically active 4-methyl-tetrahydro-5-oxo-2-furancarboxylic acids and esters
M. Aitali, S. Allaoud, A. Karim, C. Meliet and A. Mortreux	1367	Enantioselective reduction of aromatic ketones catalysed by chiral ruthenium(II) complexes
H. Akita, M. Nozawa, A. Mitsuda and H. Ohsawa	1375	A convenient synthesis of (+)-albicanol based on enzymatic function: total syntheses of (+)-albicanyl acetate, (–)-albicanyl 3,4-dihydroxy-cinnamate, (–)-drimenol, (–)-drimenin and (–)-ambrox
A. Arcelli, V. Cerè, F. Peri, S. Pollicino and P. Sabatino	1389	Synthesis and biological activity of the (–)-(2*R*,3*S*,4*S*)-3-azido-4-methoxy-2-(1′*S*-methoxy-2′-azido)ethyl-thiolane
T. Okauchi, K. Fujita, T. Ohtaguro, S. Ohshima and T. Minami	1397	Asymmetric allylic alkylation of cycloalkenediol diacetates using a chiral phosphine ligand bearing a carboxyl group
T. Wegge, S. Schwarz and G. Seitz	1405	A new and efficient synthetic route to enantiopure (+)-anatoxin-a from (–)-cocaine hydrochloride
A. Reyes and E. Juaristi	1411	Stereoselective alkylation of C_2-symmetric chiral *N*-phthaloylglycin-amides in the preparation of enantiopure α-amino acids
S. Jarosz and S. Skóra	1425	A convenient route to enantiomerically pure bicyclo[4.3.0]nonanes from sugar allyltin derivatives
S. Jarosz and S. Skóra	1433	A convenient route to enantiomerically pure highly oxygenated decalins from sugar allyltin derivatives
	A185	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 7

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
B. Schnell, U. T. Strauss, P. Verdino, K. Faber and C. O. Kappe	1449	Synthesis of enantiomerically pure 4-aryl-3,4-dihydropyrimidin-2(1*H*)-ones via enzymatic resolution: preparation of the antihypertensive agent (*R*)-SQ 32926
S. Lee, C. W. Lim, D. C. Kim and J. K. Lee	1455	Synthesis of the first water-soluble C_2-symmetric bis(oxazolidinone) as a potential bifunctional chiral auxiliary
E. García-Urdiales, F. Rebolledo and V. Gotor	1459	Enzymatic one-pot resolution of two nucleophiles: alcohol and amine
L. P. B. Gonçalves, O. A. C. Antunes, G. F. Pinto and E. G. Oestreicher	1465	Simultaneous enzymatic synthesis of (*S*)-3-fluoroalanine and (*R*)-3-fluorolactic acid
R. Margalef-Català, C. Claver, P. Salagre and E. Fernández	1469	Heterogenised iridium complexes for the asymmetric hydrogenation of imines
		ARTICLES
S. N. Joshi, A. R. A. S. Deshmukh and B. M. Bhawal	1477	An efficient synthesis of enantiomerically pure 3-hydroxy-β-lactams via zinc induced removal of a chiral auxiliary
Y. Xie, R. Lou, Z. Li, A. Mi and Y. Jiang	1487	DPAMPP in catalytic asymmetric reactions: enantioselective synthesis of L-homophenylalanine
S.-L. You, X.-L. Hou and L.-X. Dai	1495	Synthesis of planar chiral selenide derivatives of ferrocenyl-oxazoline and their application in enantioselective palladium catalyzed allylic substitution reaction

H. Brunner, P. Schmidt and M. Prommesberger	1501	Enantioselective catalysis. Part 133: Conformational analysis of amides of 9-amino(9-deoxy)epicinchonine
V. Dimitrov and S. Panev	1513	First example of axial selectivity in the nucleophilic addition to (–)-menthone—addition of cyanomethyl lithium
S. Panev and V. Dimitrov	1517	Cerium(III) chloride promoted addition of organometallic reagents to (–)-menthone—preparation of chiral neomenthyl derivatives
W. D. Wu, L. T. Ma, L. H. Zhang, Y. Lu, F. Guo and Q. T. Zheng	1527	Synthesis of 5-substituted-3-[(2′*S*,3′*S*)-3′-hydroxy-2′-hydroxymethyltetrahydrofuran-3′-yl]-1,2,4-oxadiazoles and their epimers
S. Kiyooka and K. A. Shahid	1537	Efficient enantio- and diastereoselective synthesis of enantiopure *syn*-α-bromo-β-hydroxy-α-methylpropionate esters and their *cis*-α,β-epoxy derivatives based on a chiral oxazaborolidinone-promoted asymmetric aldol reaction
P. Merino, E. M. del Alamo, S. Franco, F. L. Merchan, A. Simon and T. Tejero	1543	Stereoselective synthesis of L-isoxazolidinyl thymidine from *N*-benzyl-1,2-di-*O*-isopropylidene-D-glyceraldehyde nitrone (BIGN)
A. Iuliano, G. Uccello-Barretta and P. Salvadori	1555	1-Arylethylamino-substituted *s*-triazine derivatives as chiral solvating agents for the determination of the enantiomeric composition of chiral compounds
T.-P. Loh, J. Xu, Q.-Y. Hu and J. J. Vittal	1565	A highly chemoselective and diastereoselective trifluoromethane sulfonic acid catalyzed addition of allyltributylstannanes to a steroidal aldehyde in aqueous media
L. Di Nunno, C. Franchini, A. Scilimati, M. S. Sinicropi and P. Tortorella	1571	Chemical and chemoenzymatic routes to 1-(benzothiazol-2-ylsulfanyl)-3-chloropropan-2-ol, a precursor of drugs with potential β-blocker activity
C. Martin, W. Prünck, M. Bortolussi and R. Bloch	1585	Enantioselective synthesis of *lyxo*-(2*R*,3*R*,4*R*)-C_{18}-phytosphingosine using double stereodifferentiation
J. Kámán, E. Forró and F. Fülöp	1593	Enzymatic resolution of alicyclic β-lactams
M. Takeuchi, T. Taniguchi and K. Ogasawara	1601	Ring-closing metathesis protocol for a diastereocontrolled preparation of the C_{28}–C_{34} segment of FK-506
A. Abad, C. Agulló, A. C. Cuñat and R. H. Perni	1607	Enantioselective synthesis of herbertane sesquiterpenes: synthesis of (–)-α-formylherbertenol
H.-B. Kraatz and A. Pletsch	1617	P–C bond formation: synthesis of phosphino amino acids by palladium-catalysed cross-coupling
Z. Arażny, Z. Czarnocki, K. Wojtasiewicz and J. K. Maurin	1623	Unprecedented racemization of (*S*)-(+)-naproxen during a BOP-mediated esterification. X-Ray structures of diastereomeric esters
O. Prieto, D. J. Ramón and M. Yus	1629	Camphordisulfonamides: good chiral ligands for the addition of dialkylzinc to aliphatic aldehydes
	A205	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 8

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		TETRAHEDRON: ASYMMETRY REPORT NUMBER 48
N. Asano, R. J. Nash, R. J. Molyneux and G. W. J. Fleet	1645	Sugar-mimic glycosidase inhibitors: natural occurrence, biological activity and prospects for therapeutic application
		COMMUNICATIONS
F. Messina, M. Botta, F. Corelli and C. Villani	1681	Stereoselective synthesis of α-aryl-2-benzofuranmethanamines and α-aryl-1*H*-indole-2-methanamines through palladium-mediated annulation of chiral α-arylpropargylamines

S. A. Brown, M.-C. Parker and N. J. Turner	1687	Dynamic kinetic resolution: synthesis of optically active α-amino acid derivatives
I. Petschen, M. P. Bosch and A. Guerrero	1691	Enzyme-catalyzed synthesis and absolute configuration of (1*S*,2*R*,5*S*)- and (1*R*,2*S*,5*R*)-2-(1-hydroxyethyl)-1-(methoxymethyloxyethyl)cyclobutane-1-carbonitrile key intermediates for the preparation of chiral cyclobutane-containing pheromones
L. Haughton, J. M. J. Williams and J. A. Zimmermann	1697	Enzymatic kinetic resolution of pantolactone: relevance to chiral auxiliary chemistry
F. M. Rivas, U. Riaz and S. T. Diver	1703	Synthesis of chiral *N,N'*-disubstituted 1,2-benzenediamines from *o*-dibromobenzene
		ARTICLES
A. García Martínez, E. Teso Vilar, F. Moreno Jiménez and M. García Amo	1709	Enantiospecific synthesis of substituted 1-norbornanesulfonic acids and 1-norbornanesulfenic and sulfonic acid derivatives
L. Somsák and V. Nagy	1719	A new, scalable preparation of a glucopyranosylidene-spiro-thiohydantoin: one of the best inhibitors of glycogen phosphorylases
J. Deng, Y. Chi, F. Fu, X. Cui, K. Yu, J. Zhu and Y. Jiang	1729	Resolution of omeprazole by inclusion complexation with a chiral host BINOL
C.-T. Qian, F.-F. Gao and J. Sun	1733	First application of amino-TADDOL derivatives in enantioselective addition of diethylzinc to aryl aldehydes: effect of substituents on the nitrogen atom
M. Hartl and H.-U. Humpf	1741	2-Naphthol as a powerful chromophore for the configurational assignment of carboxylic acid groups via the CD exciton chirality method
I. Izquierdo, M. T. Plaza, M. Rodríguez and J. Tamayo	1749	Lipase-mediated partial resolution of 1,2-diol and 2-alkanol derivatives: towards chiral building-blocks for pheromone synthesis
P. Bayón, P. de March, M. Espinosa, M. Figueredo and J. Font	1757	Use of chiral Ti(IV) complexes in the cycloaddition of *C,N*-diphenylnitrone to *tert*-butyl vinyl ether
V. Enev, M. Harre, K. Nickisch, M. Schneider and J. T. Mohr	1767	Synthesis and evaluation of a new steroidal BINAP type phosphine
E. Buchalska, I. Madura, K. Okrasa, J. Plenkiewicz and J. Zachara	1781	Preparative scale synthesis of (*S*)-2-hydroxypropoxyamine hydrochloride
A. Basso, P. Braiuca, L. De Martin, C. Ebert, L. Gardossi and P. Linda	1789	D-Phenylglycine and D-4-hydroxyphenylglycine methyl esters via penicillin G acylase catalysed resolution in organic solvents
Y.-C. Wang, J.-Y. Hwang, Y.-C. Chen, S.-C. Chuang and T.-H. Yan	1797	A facile method for the synthesis of enantiopure α-unsubstituted β-hydroxy esters
M. Bakker, A. S. Spruijt, F. van Rantwijk and R. A. Sheldon	1801	Highly enantioselective aminoacylase-catalyzed transesterification of secondary alcohols
M. Besson, P. Gallezot, S. Neto and C. Pinel	1809	Influence of the nature of chiral auxiliaries on the diastereoselective hydrogenation of *ortho*-substituted benzoic acid derivatives
G. Zhou, X. Gao, Z. Zhang, W. Z. Li and Y. Li	1819	Enantioselective total syntheses of kudtriol 5-*epi*-kudtriol and their C-11 epimers
G. Delogu, D. Fabbri, M. A. Dettori, G. Casalone and A. Forni	1827	6,6'-Dibromo-3,3'-dimethoxy-2,2'-dihydroxy-1,1'-biphenyl: preparation and resolution
K. Hiroi and A. Yamada	1835	Transition metal-catalyzed asymmetric cycloaddition reactions of a chiral (β-sulfinyl)vinylcyclopropane derivative: asymmetric synthesis of a cyclopentane derivative using a chiral sulfinyl functionality as the chiral source
	1843	Corrigendum
	A235	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 9

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATION
C. G. Frost and P. Mendonça	1845	Probing subtle ligand effects in the enantioselective transfer hydrogenation of ketones
		ARTICLES
M. Hennig, K. Püntener and M. Scalone	1849	Synthesis of (*R*)- and (*S*)-4-hydroxyisophorone by ruthenium-catalyzed asymmetric transfer hydrogenation of ketoisophorone
N. Hara, A. Mochizuki, A. Tatara and Y. Fujimoto	1859	Stereochemical course of the hydrogen migration in the boron trifluoride etherate-catalyzed rearrangement of 1,1-disubstituted epoxides
F. Fazio and M. P. Schneider	1869	A novel synthesis of 2-deoxy-L-ribose
X. B. Tian, J. M. Min and L. H. Zhang	1877	Novel isonucleoside analogues: synthesis of 2′-deoxy-2′-nucleobase-5′-deoxy-1′,4′-anhydro-D-altritol
G. Campari, M. Fagnoni, M. Mella and A. Albini	1891	Diastereoselective photosensitised radical addition to fumaric acid derivatives bearing oxazolidine chiral auxiliaries
C. A. Busacca, D. Grossbach and E. Spinelli	1907	A convenient synthesis of (1*S*)-*tert*-butyl-1,2-ethylenediamine
C. Canlet, D. Merlet, P. Lesot, A. Meddour, A. Loewenstein and J. Courtieu	1911	Deuterium NMR stereochemical analysis of *threo–erythro* isomers bearing remote stereogenic centres in racemic and non-racemic liquid crystalline solvents
D. Che, N. G. Andersen, S. Y. W. Lau, M. Parvez and B. A. Keay	1919	Synthesis and applications of (*R*)- and (*S*)-7,7′-dimethoxy-2,2′-bis(diphenylphosphino)-1,1′-binaphthalene
P. Del Buttero, C. Baldoli, G. Molteni and T. Pilati	1927	Stereoselective synthesis of a new enantiopure tricyclic β-lactam derivative via a tricarbonyl(η^6-arene)chromium(0) complex
J. Albert, J. M. Cadena, J. R. Granell, X. Solans and M. Font-Bardia	1943	Optically active palladacycles containing imines derived from1-(1-naphthyl)ethylamine: new resolving agents for P-chiral phosphines
M. Pallavicini, E. Valoti, L. Villa, O. Piccolo and F. Marchetti	1957	Isopropylidene glycerol hydrogen phthalate as a resolving agent: a study of its diastereomeric salts with (*S*)- and (*R*)-1-phenylethylamine
K. Matsumoto, Y. Sato, M. Shimojo and M. Hatanaka	1965	Highly enantioselective preparation of C_2-symmetrical diols: microbial hydrolysis of cyclic carbonates
G. Broggini, G. Molteni and T. Pilati	1975	Diastereoselective synthesis of bis(3,5)pyrazolophanes by sequential inter- and intramolecular cycloadditions of homochiral nitrilimines
M. J. Arévalo, M. Avalos, R. Babiano, A. Cabanillas, P. Cintas, J. L. Jiménez and J. C. Palacios	1985	Optically active sugar thioamides from δ-gluconolactone
S. Jarosz, S. Skóra and K. Szewczyk	1997	A convenient route to enantiomerically pure, conjugated dienes from sugar allyltin derivatives
C. Baldoli, S. Maiorana, E. Licandro, D. Perdicchia and B. Vandoni	2007	Michael addition of nitromethane to non-racemic chiral $Cr(CO)_3$ complexes of ethyl cinnamate derivatives: stereoselective synthesis of (*R*)-(−)-baclofen
M. Jurczak, J. Rabiczko, D. Socha, M. Chmielewski, F. Cardona, A. Goti and A. Brandi	2015	Diastereoselection in 1,3-dipolar cycloadditions of a chiral cyclic nitrone to α,β-unsaturated δ-lactones
A. Fadel and N. Tesson	2023	Preparation of enantiomerically pure (1*S*,2*S*)-1-aminocyclopropanephosphonic acid from methylcyclopropanone acetal via spirophosphonate intermediates
D. O'Hagan, F. Royer and M. Tavasli	2033	A synthesis of (*S*)-α-(fluorodiphenylmethyl)alkylamines by HF–pyridine treatment of 4-alkyl-5,5-diphenyl-oxazolidinones
F. Hénin, S. Létinois and J. Muzart	2037	Asymmetric photodeconjugation of ammonium ene-carboxylates: temperature effects and evidence for the α-carbon of the dienolic species as a latent trigonal centre
	A259	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 10

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
U. Chiacchio, A. Rescifina, A. Corsaro, V. Pistarà, G. Romeo and R. Romeo	2045	Diastereoselective and enantioselective synthesis of 4′-aza analogues of 2′,3′-dideoxynucleosides
M. S. Nair and S. Joly	2049	Lipase catalyzed kinetic resolution of aryl β-hydroxy ketones
A. E. Wróblewski and A. Halajewska-Wosik	2053	Towards enantiomeric 2,3-epoxypropylphosphonates
A. Armstrong, B. R. Hayter, W. O. Moss, J. R. Reeves and J. S. Wailes	2057	Alkene epoxidation catalyzed by bicyclo[3.2.1]octan-3-ones: effects of structural modifications on catalyst efficiency and epoxidation enantioselectivity
L. R. Falvello, F. Foubelo, T. Soler and M. Yus	2063	Structural modification of steroids through functionalised organolithium compounds
		ARTICLES
H. Sugimoto, Y. Yamane and S. Inoue	2067	Enantiomeric discrimination by novel optically active isocyanurates having peripheral amino acid units
X. Li, R. Lou, C.-H. Yeung, A. S. C. Chan and W. K. Wong	2077	Asymmetric hydrogenation of dehydroamino acid derivatives catalyzed by a new aminophosphine phosphinite ligand derived from ketopinic acid
T. Wakabayashi, H. Saito and M. Shiozaki	2083	Preparation of 3,6-di-*O*-benzylallosamizoline from natural allosamidin
R. E. Gawley, Q. Zhang and A. T. McPhail	2093	2-Lithio-*N*-BOC-thiazolidines as chiral acyl anion synthons: evaluation of facial stereoselectivity in the addition of chiral organolithiums to aldehydes
O. C. Kreutz, R. C. M. Segura, J. A. R. Rodrigues and P. J. S. Moran	2107	Enantioselective bioreduction of (*E*)-1-phenyl-1,2-alkanedione 2-(*O*-methyl-oxime)
P. G. M. Wuts, R. L. Gu and J. M. Northuis	2117	Synthesis of (2*R*,3*S*)-isobutyl phenylisoserinate, the Taxol® side chain, from ethyl benzoylacetate
H. Schedel, P. J. L. M. Quaedflieg, Q. B. Broxterman, W. Bisson, A. L. L. Duchateau, I. C. H. Maes, R. Herzschuh and K. Burger	2125	Synthesis of (*R*)-4,4,4-trifluoro-2-mercaptobutyric acid
H. Pennemann, S. Wallbaum and J. Martens	2133	Diastereoselective hydroboration of chiral enamines using an enantiomerically pure amine from an industrial waste material as the source of chirality
J. Wilken, S. Erny, S. Wassmann and J. Martens	2143	New C_2-symmetric 2,4-bis(1-hydroxycyclopentyl)azetidines derived from (*S*)-1-phenylethylamine and their application in the enantioselective catalysis
B. T. Cho, Y. S. Chun and W. K. Yang	2149	Catalytic enantioselective reactions. Part 18: Preparation of 3-deoxy-3-*N*,*N*-dialkylamino-1,2;5,6-di-*O*-isopropylidene-D-altritol derivatives from D-mannitol and their applications for catalytic enantioselective addition of dialkylzinc to aldehydes
M. Gonschior, M. Kötteritzsch, M. Rost, B. Schönecker and R. Wyrwa	2159	Synthesis of *N*,*N*-bis[2-(2-pyridyl)ethyl]amino steroids and related compounds intended as chiral ligands for copper ions
P. Hesemann and J. J. E. Moreau	2183	Novel silica-based hybrid materials incorporating binaphthyl units: a chiral matrix effect in heterogeneous asymmetric catalysis
A. Avenoza, C. Cativiela, F. Corzana, J. M. Peregrina and M. M. Zurbano	2195	Asymmetric synthesis of all isomers of α-methyl-β-phenylserine
Y. Hashimoto, Y. Horie, M. Hayashi and K. Saigo	2205	An efficient phosphorus-containing oxazoline ligand derived from *cis*-2-amino-3,3-dimethyl-1-indanol: application to the palladium-catalyzed asymmetric Heck reaction

P. Besse, S. Ciblat, J.-L. Canet, Y. Troin and H. Veschambre	2211	Improvement of the chemoenzymatic synthesis of both enantiomers of keto-protected 4-amino-2-pentanone
S. Ciblat, P. Besse, V. Papastergiou, H. Veschambre, J.-L. Canet and Y. Troin	2221	A simple and efficient enantioselective synthesis of piperidine alkaloids dihydropinidine and isosolenopsins A, B and C
M. Baenziger, L. Gobbi, B. P. Riss, F. Schaefer and A. Vaupel	2231	A practical synthesis of protected β-homolysine
W. Adam, P. Groer and C. R. Saha-Möller	2239	Synthesis of optically active α-methylene γ-lactones through lipase-catalyzed kinetic resolution
	2245	Corrigendum
	2247	Corrigendum
	A283	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 11

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
S. Chandrasekhar and A. Kausar	2249	A new chiral oxazoline derived from camphor and its conversion to (*R*)-2-methylalkanoic acids
A. Soriente, M. De Rosa, R. Villano and A. Scettri	2255	Enantioselective aldol condensation of 1,3-bis-(trimethylsilyloxy)-1-methoxy-buta-1,3-diene promoted by chiral Ti(IV) BINOL complex
J. Doussot, A. Guy, R. Garreau, A. Falguières and C. Ferroud	2259	Efficient kinetic resolution of racemic 3-nitro-cyclopent(or hex)-2-en-1-yl acetates
K. Molvinger, M. Lopez and J. Court	2263	Asymmetric reduction of acetophenone over heterogeneous oxazaborolidine catalysts
S. Madan, A. K. Sharma and S. S. Bari	2267	Asymmetric Friedel–Crafts alkylation using chiral α-acyl-α-chloromethylsulphides
I. Sato, R. Kodaka, T. Shibata, Y. Hirokawa, N. Shirai, K. Ohtake and K. Soai	2271	Highly enantioselective addition of diethylzinc to *N*-diphenylphosphinylimines using dendritic chiral ligands with hydrocarbon backbones
		ARTICLES
E. Spodine, S. Zolezzi, V. Calvo and A. Decinti	2277	Studies of the circular dichroism spectra of dissymmetric Schiff-bases by means of the exciton chirality method
M. Adamczyk, D. D. Johnson and R. E. Reddy	2289	Bone collagen cross-links: an efficient one-pot synthesis of (+)-pyridinoline and (+)-deoxypyridinoline
H.-L. Kwong and W.-S. Lee	2299	First enantioselective catalyst based on a chiral terpyridine: synthesis of new C_2-symmetric 2,2′:6′,2″-terpyridine ligands and copper-catalyzed enantioselective cyclopropanation of alkenes
Q. Xu, G. Wang, X. Wang, T. Wu, X. Pan, A. S. C. Chan and T. Yang	2309	The synthesis of L-(+)-homophenylalanine hydrochloride
W.-M. Dai, H.-J. Zhu and X.-J. Hao	2315	Chiral ligands derived from abrine. Part 6: Importance of a bulky *N*-alkyl group in indole-containing chiral β-*tertiary* amino alcohols for controlling enantioselectivity in addition of diethylzinc toward aldehydes
T. Shibata, K. Uemae and Y. Yamamoto	2339	Highly stereoselective synthesis of C_2-chiral and *meso* nitroxides from an optically active pyrrolidine
C. Qian and L. Wang	2347	Asymmetric glyoxylate-ene reaction catalyzed by C_2-symmetric chiral bis(oxazoline)–lanthanide complexes

A. Gluszyńska and M. D. Rozwadowska	2359	Enantioselective modification of the Pomeranz–Fritsch–Bobbitt synthesis of tetrahydroisoquinoline alkaloids: synthesis of (–)-salsolidine and (–)-carnegine
G. Fantin, M. Fogagnolo, A. Medici, P. Pedrini and S. Fontana	2367	Kinetic resolution of racemic secondary alcohols via oxidation with *Yarrowia lipolytica* strains
I. D'Acquarica, F. Gasparrini, D. Misiti, G. Zappia, C. Cimarelli, G. Palmieri, A. Carotti, S. Cellamare and C. Villani	2375	Application of a new chiral stationary phase containing the glycopeptide antibiotic A-40,926 in the direct chromatographic resolution of β-amino acids
C. G. Arena, G. Calabrò, G. Franciò and F. Faraone	2387	New phosphoramidite and phosphito-N chiral ligands based on 8-substituted quinolines and (*S*)-binaphthol; applications in the Cu-catalyzed enantioselective conjugate addition of diethylzinc to 2-cyclohexen-1-one
P. Parzuchowski, V. Böhmer, S. E. Biali and I. Thondorf	2393	Conformational rigidity in mesitylene-based calix[4]arenes adopting a 1,3-alternate conformation
A. Basak, A. Nag, G. Bhattacharya, S. Mandal and S. Nag	2403	Chemoenzymatic synthesis of anti-inflammatory drugs in enantiomerically pure form
J. Y. Goujon, F. Zammattio and B. Kirschleger	2409	Synthesis of various 2*H*-benzopyran compounds and their kinetic resolution by asymmetric hydrolysis of their racemic acetates mediated by lipases
N. Wehofsky, M. Haensler, S. W. Kirbach, J.-D. Wissmann and F. Bordusa	2421	Effect of freezing on the enzymatic coupling of specific amino acid-containing peptide fragments
C. Pichon, C. Hubert, C. Alexandre and F. Huet	2429	Enzymatic acylation of cyclobutene and cyclobutane *meso*-diols at low temperature
	2435	Corrigendum
	A315	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 12

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATION
S. G. Davies, C. A. P. Smethurst, A. D. Smith and G. D. Smyth	2437	Asymmetric synthesis of homochiral Baylis–Hillman products employing (*R*)-*N*-methyl-*N*-α-methylbenzyl amide
		ARTICLES
P. J. Stephens, F. J. Devlin, J. R. Cheeseman, M. J. Frisch, B. Mennucci and J. Tomasi	2443	Prediction of optical rotation using density functional theory: 6,8-dioxabicyclo[3.2.1]octanes
C. Dong, J. Zhang, W. Zheng, L. Zhang, Z. Yu, M. C. K. Choi and A. S. C. Chan	2449	Heterogeneous asymmetric addition of diethylzinc to aromatic aldehydes catalyzed byTi(IV)/imine bridged poly(*R*)-binaphthol
D. J. Aldous, W. M. Dutton and P. G. Steel	2455	A simple enantioselective preparation of (2*S*,5*S*)-2,5-diphenylpyrrolidine and related diaryl amines
P. Berthault and N. Birlirakis	2463	Folding of a β-cyclodextrin monosubstituted at its secondary face, revealed by NMR studies of local structural variations
J. Fuentes, D. Olano, C. Gasch and M. A. Pradera	2471	Stereocontrolled preparation of 2-,3- and 4-isothiocyanato aldopyranose derivatives
G. Cabarrocas, M. Ventura, M. Maestro J. Mahía and J. M. Villalgordo	2483	Reaction between hydrazines and chiral α-acetylenic ketones: synthesis of novel enantiomerically pure pyrazolyl-β-amino alcohols

S. Immel and K. Khanbabaee	2495	Atropdiastereoisomers of ellagitannin model compounds: configuration, conformation, and relative stability of D-glucose diphenoyl derivatives
R. Paugam, E. Valenciennes, L. Le Coz-Bardol, J.-C. Garde, L. Wartski, M. Lance and M. Nierlich	2509	Asymmetric synthesis of *N*-phenylethyl-2-phenyldecahydroquinolin-4-ones via Lewis acid catalyzed imino-Diels–Alder reaction
I. Cabanal-Duvillard, J.-F. Berrien and J. Royer	2525	An expeditious formal synthesis of (–)-epibatidine
J.-F. Lu, J.-S. You and H.-M. Gau	2531	Enantioselective addition of $AlEt_3$ to aldehydes catalyzed by titanium(IV)–TADDOLate complex
S. Conde, P. López-Serrano and A. Martínez	2537	Regioselective lipase-catalysed γ-monoamidation of D-glutamic acid diesters: effect of the *N*-protecting group
P. Hutin, M. Haddad and M. Larchevêque	2547	Stereoselective synthesis of (–)-deacetylanisomycin
C. Cimarelli and G. Palmieri	2555	Asymmetric reduction of enantiopure imines with zinc borohydride: stereoselective synthesis of chiral amines
J. A. Fuentes, A. Maestro, A. Mª Testera and J. M. Báñez	2565	Synthesis of optically active β′-hydroxy-β-enaminoketones via enzymatic resolution of carbinols derived from 3,5-disubstituted isoxazoles
P. Szolcsányi, T. Gracza, M. Koman, N. Prónayová and T. Liptaj	2579	Pd(II)-catalysed aminocarbonylation as a key step in the total synthesis of C-6 homologues of 1-deoxynojirimycin and 1-deoxy-L-idonojirimycin
E. Fogal, C. Forzato, P. Nitti, G. Pitacco and E. Valentin	2599	Synthesis of enantiomerically pure bicyclic condensed δ-lactones via microbial reduction and enzymic resolution strategies
A. E. Wróblewski and D. G. Piotrowska	2615	Enantiomeric phosphonate analogs of the docetaxel C-13 side chain
M. C. Bagley and W. Oppolzer	2625	Asymmetric synthesis of 1-azaspiro[4.5]decanes via intramolecular dipolar cycloaddition of nitrones containing the bornane-10,2-sultam chiral auxiliary
P. Dalla Croce, C. La Rosa and E. Pizzatti	2635	Stereoselective synthesis of 3-heteroaromatic-substituted alanines
	A337	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 13

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
G. V. M. Sharma, A. Subhash Chander, P. Radha Krishna, K. Krishnudu, M. H. V. Ramana Rao and A. C. Kunwar	2643	'Off template site' [3+3] annulation reaction on sugar derived enal: stereoselective synthesis of C–C-linked pseudo-saccharide precursors
F. Kakiuchi, P. Le Gendre, A. Yamada, H. Ohtaki and S. Murai	2647	Atropselective alkylation of biaryl compounds by means of transition metal-catalyzed C–H olefin coupling
G. Delle Monache, D. Misiti, P. Salvatore, G. Zappia and M. Pierini	2653	Stereoselective synthesis of 2-substituted 3-azabicyclo[3.2.0]heptan-2-ones by [2+2]-cycloaddition of *N*-allyl-β-*N*-keteniminium salts derived from (*R*)-vinylglycinol
P.-H. Leung, H. Lang, X. Zhang, S. Selvaratnam and J. J. Vittal	2661	Asymmetric synthesis and the novel retro Diels–Alder reaction of a *P*-chiral sulfonyl-substituted phosphanorbornene

ARTICLES

P. Ferraboschi, S. Reza-Elahi, L. Scotti and E. Santaniello	2665	Preparation of an A-ring building block for the total synthesis of 1α,25-dihydroxy vitamin D_3 and structurally related congeners: lipase-catalyzed stereoselective esterification of a suitable epoxyalcohol
A. Ichikawa, S. Hiradate, A. Sugio, S. Kuwahara, M. Watanabe and N. Harada	2669	Absolute configuration of 2-methoxy-2-(2-naphthyl)propionic acid as determined by the ^{1}H NMR anisotropy method
J. Li, Y.-C. Liu, J.-G. Deng, X.-Z. Li, X. Cui and Z. Li	2677	Asymmetric reduction of 2-bromo-1-phenylethylidenemalononitrile with chiral NADH models: substituent effects on enantioselectivity
V. I. Rozenberg, D. Y. Antonov, R. P. Zhuravsky, E. V. Vorontsov, V. N. Khrustalev, N. S. Ikonnikov and Y. N. Belokon'	2683	Elaboration of a novel type of planar-chiral methylene bridged biphenols based on [2.2]paracyclophanes
O. Katzenelson, J. Edelstein and D. Avnir	2695	Quantitative chirality of helicenes
F. Campos, M. P. Bosch and A. Guerrero	2705	An efficient enantioselective synthesis of (*R,R*)-formoterol a potent bronchodilator using lipases
B. K. Pchelka, A. Loupy, J. Plenkiewicz and L. Blanco	2719	Resolution of racemic 1-azido-3-aryloxy-2-propanols by lipase-catalyzed enantioselective acetylation
M. J. Burke, M. M. Allan, M. Parvez and B. A. Keay	2733	Synthesis and applications of (1*R*,5*S*,6*S*)-6-(2,2-dimethylpropanamido)-spiro[4.4]nonan-1-ol as a chiral auxiliary in Diels–Alder reactions
C. Dallanoce, M. De Amici, G. Carrea, F. Secundo, S. Castellano and C. De Micheli	2741	A chemoenzymatic approach to the synthesis of the stereoisomers of a β-adrenergic receptor antagonist
M. Ono, H. Nakamura, F. Konno and H. Akita	2753	Total syntheses of macrosphelides (+)-A, (–)-A and (+)-E
C. G. Arena, D. Drommi and F. Faraone	2765	Structural control in palladium(II)-catalyzed enantioselective allylic alkylation by new chiral phosphine-phosphite and pyridine-phosphite ligands
J. M. Seco, E. Quiñoá and R. Riguera	2781	The assignment of absolute configurations by NMR of arylmethoxyacetate derivatives: is this methodology being correctly used?
Z. Arażny, Z. Czarnocki, K. Wojtasiewicz and J. K. Maurin	2793	Enantioselective synthesis of (1*R*)-1-(hydroxymethyl)-2-acetyl-1,2,3,4-tetrahydro-β-carboline from L-(+)-tartaric acid
W. Gu, X. Chen, X. Pan, A. S. C. Chan and T.-K. Yang	2801	First enantioselective syntheses of (2*R*,3*R*)- and (2*S*,3*S*)-3-(4-hydroxy-3-methoxyphenyl)-2-hydroxymethyl-1,4-benzodioxan-6-carbaldehyde
R. Pedrosa, C. Andrés, J. P. Duque-Soladana, and C. D. Rosón	2809	Regio- and stereoselective 6-exo-*trig* radical cyclisations onto chiral perhydro-1,3-benzoxazines: synthesis of enantiopure 3-alkylpiperidines
S. Shirakami and T. Itoh	2823	Synthesis of planar chiral ferrocene dicarboxylic acids using a sugar derivative as a resolution tool
I. Michieletto, F. Fabris and O. De Lucchi	2835	Diastereoselective addition of monoterpenic alcoholates and thiolates to 2,3-dicarbomethoxynorbornadiene
	2843	Corrigendum
	A363	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 14

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		TETRAHEDRON: ASYMMETRY REPORT NUMBER 49
M. Avalos, R. Babiano, P. Cintas, J. L. Jiménez and J. C. Palacios	2845	From parity to chirality: chemical implications revisited

COMMUNICATIONS

M. Harmata and M. Kahraman 2875 Congeners of Troeger's base as chiral ligands

D. Maillard, C. Nguefack, G. Pozzi, S. Quici, B. Valadé and D. Sinou 2881 Asymmetric hydrogen transfer reduction of ketones using chiral perfluorinated ligands

ARTICLES

M. Apparu, Y. Ben Tiba, P.-M. Léo, S. Hamman and C. Coulombeau 2885 Determination of the enantiomeric purity and the configuration of β-aminoalcohols using (*R*)-2-fluorophenylacetic acid (AFPA) and fluorine-19 NMR: application to β-blockers

Z. Lei, J. M. Min and L. H. Zhang 2899 Synthesis of 3-deoxy-3-nucleobase-2,5-anhydro-D-mannitol: a novel class of hydroxymethyl-branched isonucleosides

V. V. Dunina, O. N. Gorunova, M. V. Livantsov and Y. K. Grishin 2907 P*-Chiral phosphapalladacycle as derivatizing agent for enantiomeric purity determination of α-amino acids by means of ^{31}P NMR spectroscopy

X. Tang, V. A. Soloshonok and V. J. Hruby 2917 Convenient, asymmetric synthesis of enantiomerically pure 2′,6′-dimethyltyrosine (DMT) via alkylation of chiral equivalent of nucleophilic glycine

P. Borrachero, F. Cabrera-Escribano, A. T. Carmona and M. Gómez-Guillén 2927 Rearrangement reactions in the fluorination of 3-deoxy-3-*C*-methyl-3-nitro-hexopyranosides (and hexo-1-thiopyranosides) of the D- and L-series by the DAST reagent

W. K. Yang and B. T. Cho 2947 Facile synthesis of chiral isopropyl carbinols with high enantiomeric excess via catalytic enantioselective addition of diisopropylzinc to aldehydes

F. Hammerschmidt, W. Lindner, F. Wuggenig and E. Zarbl 2955 Enzymes in organic chemistry. Part 10: Chemo-enzymatic synthesis of L-phosphaserine and L-phosphaisoserine and enantioseparation of amino-hydroxyethylphosphonic acids by non-aqueous capillary electrophoresis with quinine carbamate as chiral ion pair agent

U. R. Kalkote, S. R. Ghorpade, R. R. Joshi, T. Ravindranathan, K. B. Bastawade and D. V. Gokhale 2965 A practical and scalable process for 4-(*R*)-hydroxycyclopent-2-en-1-(*S*)-acetate by desymmetrization of *meso*-cyclopent-2-en-1,4-diacetate catalyzed by *Trichosporon beigelii* (NCIM 3326) a cheap biocatalyst

N. Hanyu, T. Aoki, T. Mino, M. Sakamoto and T. Fujita 2971 Enantioselective addition of diethylzinc to aldehydes catalyzed by optically active 1,4-aminoalcohols

H. Wakita, H. Yoshiwara, Y. Kitano, H. Nishiyama and H. Nagase 2981 Preparative resolution of 2-methyl-4-hexynic acid for the synthesis of optically active *m*-phenylene PGI_2 derivatives and determination of their absolute configuration

V. Guerrero de la Rosa, M. Ordóñez and J. M. Llera 2991 Efficient preparation of enantiomerically pure (*E*)-γ-hydroxy-α,β-unsaturated *p*-tolylsulfoxides using lipase-mediated acylations

T. Yamauchi, K. Higashiyama, H. Kubo and S. Ohmiya 3003 Synthesis of C_2-symmetrical chiral diamines: diastereoselective addition to bis(1,3-oxazolidinyl)alkanes with Grignard reagents

D. Brózda, L. Koroniak and M. D. Rozwadowska 3017 Stereoselective synthesis of 3-mono- and 13-disubstituted 4-phenyl-1,2,3,4-tetrahydroisoquinolines

U. Gran, O. Wennerström and G. Westman 3027 Stereoselective reductions with macrocyclic NADH models

A385 Stereochemistry abstracts

I Tetrahedron: *Asymmetry* reports

III Instructions to contributors

IX Cumulative author index

NUMBER 15

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

Y. Genzel, A. Archelas, Q. B. Broxterman, B. Schulze and R. Furstoss 3041 Microbiological transformations. Part 46: Preparation of enantiopure (*S*)-2-pyridyloxirane via epoxide hydrolase-catalysed kinetic resolution

H. Miyamoto, M. Sakamoto, K. Yoshioka, R. Takaoka and F. Toda	3045	Resolution of hydrocarbons by inclusion complexation with a chiral host compound
P. Cividino, J. Masson, K. Molvinger and J. Court	3049	New heterogeneous catalyst for enantioselective borane reduction of ketones: phosphinamide anchored to nickel boride
E. Butkus, U. Berg, A. Žilinskas, R. Kubilius and S. Stončius	3053	Enantiomer separation and absolute configuration of densely functionalized 2-oxatricyclo[4.3.1.$0^{3,8}$]decanes by CD spectroscopy and chemical correlation
B. Lora Maroto, S. de la Moya Cerero, A. García Martínez, A. García Fraile and E. Teso Vilar	3059	A new highly efficient synthetic route to enantiopure 10-bromocamphor
		ARTICLES
M. Adamczyk, D. D. Johnson and R. E. Reddy	3063	A concise synthesis of (*S*)-(−)-3-(2-carboxy-4-pyrrolyl)-alanine
R. Robles, C. Rodíguez, I. Izquierdo, M. T. Plaza, A. Mota, and L. Alvarez de Cienfuegos	3069	Preparation of 2,2′-anhydronucleosides: regio- and stereoselective modifications of the base and sugar moieties
F. Yuste, B. Ortiz, A. Carrasco, M. Peralta, L. Quintero, R. Sánchez-Obregón, F. Walls and J. L. García Ruano	3079	Synthesis of enantiomerically pure 2-amino alcohols from amino acids mediated by sulfoxides
V. Prahlad, A.-A. S. El-Ahl and W. A. Donaldson	3091	Reaction of tricarbonyl(dienal)iron complexes with *B*-allyldiisopinocampheylborane
S. Caccamese, A. Bottino, F. Cunsolo, S. Parlato and P. Neri	3103	Resolution of inherently chiral calix[4]arenes with AABB and CDCD substitution patterns on the upper and lower rims, respectively
T. Połoński, M. J. Milewska and M. Gdaniec	3113	Synthesis, structure and chiroptical spectra of the bicyclic α-diketones, imides and dithioimides related to santenone
A. Zhang, Y. Feng and B. Jiang	3123	C_2-Symmetric bisphosphinites and a bisaminophosphine as new chiral ligands for Pd-catalyzed asymmetric allylic substitution
R. Lysek, B. Furman, Z. Kałuża, J. Frelek, K. Suwińska, Z. Urbańczyk-Lipkowska and M. Chmielewski	3131	[2+2] Cycloaddition of chlorosulfonyl isocyanate to allenyl-sugar ethers
P. Allevi and M. Anastasia	3151	Synthesis of all four possible stereoisomers of 5-hydroxylysine
M. Diéguez, S. Deerenberg, O. Pàmies, C. Claver, P. W. N. M. van Leeuwen and P. Kamer	3161	Copper-catalysed asymmetric 1,4-addition of organometallic reagents to 2-cyclohexenone using novel phosphine-phosphite ligands
G. Bringmann, M. Münchbach and M. Michel	3167	Determination of the absolute configuration of chiral benzylic alcohols and their esters or ethers, by ruthenium-mediated oxidative degradation
A. Bassoli, G. Borgonovo, M. G. B. Drew and L. Merlini	3177	Enantiodifferentiation in taste perception of isovanillic derivatives
M. De Rosa, A. Soriente and A. Scettri	3187	Enantioselective aldol condensation of *O*-silyl dienolates to aldehydes mediated by chiral BINOL–titanium complexes
J. D. Moseley and J. Staunton	3197	Influence of ester chain length, enzyme, and physical parameters on lipase-catalysed hydrolyses of *meso*-oxiranedimethanol esters. Part 2
M. Carda, J. Murga, E. Falomir, F. González and J. A. Marco	3211	Stereoselective synthesis of *syn*-α-methyl-β-hydroxy esters
Z. Yu, F. López-Calahorra and D. Velasco	3221	Study of asymmetric reduction of 1-substituted fluorenone with borane in the presence of several chiral amino alcohols
Z. Yu, F. López-Calahorra and D. Velasco	3227	Asymmetric reduction of substituted fluorenones with aluminium lithium hydride in the presence of chiral amino alcohols
J. Wede, F.-J. Volk and A. W. Frahm	3231	Carbocyclic α-amino acids: asymmetric Strecker synthesis of a series of 2-alkylated 1-aminocyclopentanecarboxylic acids
	A413	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 16

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
K. Kostova, M. Genov, I. Philipova and V. Dimitrov	3253	New bis-steroidal axially chiral diols as ligands for the asymmetric addition of diethylzinc to aldehydes
A. Kawamoto and M. Wills	3257	Enantioselective synthesis of β-hydroxy amines and aziridines using asymmetric transfer hydrogenation of α-amido ketones
G. Pitacco, A. Sessanta o Santi and E. Valentin	3263	Enzymic resolution of an α-methylene-γ-lactonic ester
C. Sanfilippo, A. Patti and G. Nicolosi	3269	Asymmetric oxidation of 1,3-cyclohexadiene catalysed by chloroperoxidase from *Caldariomyces fumago*
R. C. F. Jones, S. J. Hollis and J. N. Iley	3273	3-(1-Aminoalkyl)isoxazole-4-carboxylic acids as peptide bond replacements
R. Chinchilla, P. Mazón and C. Nájera	3277	Asymmetric synthesis of α-amino acids using polymer-supported *Cinchona* alkaloid-derived ammonium salts as chiral phase-transfer catalysts
		ARTICLES
C. S. Park, H. G. Choi, H. Lee, W. K. Lee and H.-J. Ha	3283	Stereoselective synthesis of protected *threo*-β-hydroxy-L-glutamic acid using a chiral aziridine
S.-H. Shin, E. Y. Han, C. S. Park, W. K. Lee and H.-J. Ha	3293	Stereoselective synthesis of enantiomerically pure D-*threo*-PDMP; manipulation of a core 2,3-diamino alcohol unit
N. W. Fadnavis, R. Luke Babu, G. Sheelu and A. Deshpande	3303	'Gelozymes' in organic synthesis: synthesis of enantiomerically pure (*S*)-2-hydroxy-(3-phenoxy)phenylacetonitrile with lipase immobilised in a gelatin matrix
M. Takeuchi, T. Mizuno, S. Shinkai, S. Shirakami and T. Itoh	3311	Chirality sensing of saccharides using a boronic acid-appended chiral ferrocene derivative
J. Zhang and T. Koizumi	3323	Synthesis of enantiomerically pure telluronium salts by the reaction of chiral tellurides with alkyl halides
Y. Yin, X. Li, D.-S. Lee and T.-K. Yang	3329	Asymmetric conjugate addition of diethylzinc to chalcone catalyzed by nickel complexes containing derivatives of (1*R*,2*S*,3*R*)-3-mercapto-camphan-2-ol
J. Albert, R. Bosque, J. M. Cadena, J. R. Granell, G. Muller and J. I. Ordinas	3335	Synthesis and resolution of benzylisopropylphenylphosphine, a monodentate P-chiral ligand
U. Reiser, J. Jauch and E. Herdtweck	3345	Intramolecular Diels–Alder reactions with substituted Feringa-butenolides: a dramatic increase in reactivity by double activation
J. Zhao, X. Bao, X. Liu, B. Wan, X. Han, C. Yang, J. Hang, Y. Feng and B. Jiang	3351	In situ NMR study of asymmetric borane reduction reaction—an abnormal factor in the temperature effect on the bis-oxazaborolidine catalyst and the relationship between the catalyst structure and selectivity
G. Palmieri	3361	A practical *o*-hydroxybenzylamines promoted enantioselective addition of dialkylzincs to aldehydes with asymmetric amplification
S. Ramadas and G. L. D. Krupadanam	3375	Enantioselective acylation of 2-hydroxymethyl-2,3-dihydrobenzofurans catalysed by lipase from *Pseudomonas cepacia* (Amano PS) and total stereoselective synthesis of (–)-(*R*)-MEM-protected arthrographol
S. Jew, E. Roh, E. Baek, L. Mireille, H. Kim, B. Jeong, M. Park and H. Park	3395	Asymmetric synthesis of (*R*)-(+)-etomoxir via enzymatic resolution
T. Ziegler and C. Jurisch	3403	Chemoenzymatic synthesis of enantiomerically enriched aminoalkenols and glycosides thereof
G. Chelucci, S. Gladiali, M. G. Sanna and H. Brunner	3419	Chiral ligands with pyridine donors in transition metal catalyzed enantioselective cyclopropanation and hydrosilylation reactions

G. Chelucci, A. Saba, G. Sanna and F. Soccolini	3427	Chiral 2,2'-bipyridines, 5,6-dihydro-1,10-phenanthrolines and 1,10-phenanthrolines as ligands for enantioselective palladium catalyzed allylic substitution
H. Zhang, P. Xia and W. Zhou	3439	Application of asymmetric aminohydroxylation to heteroaromatic acrylates
G. Chelucci, A. Saba, R. Valenti and A. Bacchi	3449	Synthesis of enantiopure ethyl (1*S*,9a*S*)- and (1*S*,9a*R*)-1-phenyl-4,9-dioxohexahydropyrrolo[1,2-*d*][1,4]oxazepine-9a(7*H*)-carboxylate by carbenoid ylide Stevens-[1,2]-shift with ring enlargement
	A443	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 17

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
S. Padmanabhan, R. C. Lavin and G. J. Durant	3455	Asymmetric synthesis of a neuroprotective and orally active *N*-methyl-D-aspartate receptor ion-channel blocker, CNS 5788
R. Kitzler, L. Xiao and W. Weissensteiner	3459	*O*-Methylephedrine: a highly efficient *ortho*-directing group in the synthesis of enantiopure 1,2-disubstituted ferrocene derivatives
A. K. Bandyopadhyaya, N. M. Sangeetha, A. Radha and U. Maitra	3463	Synthesis of *both* enantiomers of 1-phenylethane-1,2-diol via chirality transfer from bile acid derivatives
S. Chandrasekhar and M. Sridhar	3467	Desymmetrisation of a *meso*-*N*-hydroxyimide via a chiral Lossen reaction
E. Leclerc, P. Mangeney and V. Henryon	3471	Enhancement of the diastereoselectivity in the addition of trimethylsilyl cyanide to chiral aldimines by catalysis with a chiral 1,2-diamine: unexpected mechanistic results
S. D. Bull, S. G. Davies, R. L. Nicholson, H. J. Sanganee and A. D. Smith	3475	SuperQuat, (*S*)-4-benzyl-5,5-dimethyl-oxazolidin-2-one for the asymmetric synthesis of α-substituted aldehydes
		ARTICLES
G. Asensio, P. Gaviña, A. Cuenca, M. C. Ramírez de Arellano, L. R. Domingo and M. Medio-Simón	3481	First synthesis of the chiral mixed O,S ligands, 1,2-sulfinyl thiols: application as chiral proton sources in enantioselective protonations of enolates
S. Pinheiro, C. B. S. S. Gonçalves, M. B. de Lima and F. M. C. de Farias	3495	A pinene-based chiral auxiliary for α-alkylation and aldol reactions: an unexpected effect of the base on the stereoselectivity
C. Kiefl, H. Zinner, M. A. Cuyegkeng and A. Eiglsperger	3503	Chirality and asymmetric transformations of axially chiral 4,5-disubstituted phenanthreneamides
A. Madrigal, M. Grande and C. Avendaño	3515	The fate of the tryptophan stereocenter in the synthesis of 7,10,16,16a-tetrahydro-11*H*-quinazolino[2',3':3,4]pyrazino[1,2-*b*]β-carboline-5,8-diones
S. Allenmark, U. Skogsberg and L. Thunberg	3527	Chiral selectors based on C_2-symmetric dicarboxylic acids
F. Gasparrini, I. D'Acquarica, J. G. Vos, C. M. O'Connor and C. Villani	3535	Efficient enantiorecognition of ruthenium(II) complexes by silica-bound teicoplanin
Y. Wu, H. Yun, Y. Wu, K. Ding and Y. Zhou	3543	Synthesis of *N*-α-pyridylmethyl amino alcohols and application in catalytic asymmetric addition of diethylzinc to aromatic aldehydes
V. Santhi and J. M. Rao	3553	Asymmetric reduction of prochiral ketones using in situ generated oxazaborolidines derived from amino alcohols of (1*R*)-camphor as catalysts

M. Massacret, R. Lakhmiri, P. Lhoste, C. Nguefack, F. B. Ben Abdelouahab, R. Fadel and D. Sinou	3561	Palladium(0)-catalyzed asymmetric synthesis of 2-vinylmorpholine and 2-vinylpiperazine. Influence of the biscarbonate structure on the enantioselectivity
M. Martín-Vilà, E. Muray, G. P. Aguado, A. Alvarez-Larena, V. Branchadell, C. Minguillón, E. Giralt and R. M. Ortuño	3569	Enantioselective synthetic approaches to cyclopropane and cyclobutane β-amino acids: synthesis and structural study of a conformationally constrained β-dipeptide
J. M. Brunel, A. Tenaglia and G. Buono	3585	Enantioselective formation of quaternary centers on β-ketoesters with chiral palladium QUIPHOS catalyst
D. C. Braddock and J. M. Brown	3591	Asymmetric synthesis and Lewis acid mediated type II carbonyl ene cyclisations of (*R*)-2-isopropyl-5-methylhex-5-enal
Y. Sugimoto, H. Imamura, A. Shimizu, M. Nakano, S. Nakajima, S. Abe, K. Yamada and H. Morishima	3609	Lipase-catalyzed kinetic resolution of ethyl 3-aryl-3-hydroxypropionate: preparation of the side chain of a novel carbapenem, J-114,870
A. Carocci, A. Catalano, F. Corbo, A. Duranti, R. Amoroso, C. Franchini, G. Lentini and V. Tortorella	3619	Stereospecific synthesis of mexiletine and related compounds: Mitsunobu versus Williamson reaction
A. Meddour and J. Courtieu	3635	Achiral deuterated derivatizing agent for enantiomeric analysis of carboxylic acids by NMR in a chiral liquid crystalline solvent
	3645	Corrigendum
	A471	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 18

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
B. La Ferla, L. Lay, G. Russo and L. Panza	3647	Regioselective lipase acylation as a useful tool for separation and selective protection of β-D-Gal(1→4)-D-GlcNAc and β-D-Gal(1→3)-D-GlcNAc disaccharides
F. Zambianchi, P. Pasta, G. Ottolina, G. Carrea, S. Colonna, N. Gaggero and J. M. Ward	3653	Effect of substrate concentration on the enantioselectivity of cyclohexanone monooxygenase from *Acinetobacter calcoaceticus* and its rationalization
Q. K. Fang, Z. Han, P. Grover, D. Kessler, C. H. Senanayake and S. A. Wald	3659	Rapid access to enantiopure bupropion and its major metabolite by stereospecific nucleophilic substitution on an α-ketotriflate
X. Wang and J. Thottathil	3665	Efficient synthesis of (*S*)-(−)- and (*R*)-(+)-enantiomers of 15-deoxyspergualin (15-DSG)
Y. Ohtsuka, T. Ikeno and T. Yamada	3671	Highly enantioselective borohydride reductions of 2-phenacylpyridine catalyzed by optically active β-ketoiminato cobalt(II) complexes
		ARTICLES
R. A. Pilli and V. B. Riatto	3675	Diastereoselective synthesis of 2,5-disubstituted tetrahydrofuran derivatives
A. Patti and G. Nicolosi	3687	Preparation of chiral C_2-symmetrical 1,1′-disubstituted ferrocenes
J. R. Dehli and V. Gotor	3693	Enantio- and chemoselective bioreduction of β-keto nitriles by the fungus *Curvularia lunata*
A. Goswami, R. L. Bezbaruah, J. Goswami, N. Borthakur, D. Dey and A. K. Hazarika	3701	Microbial reduction of ω-bromoacetophenones in the presence of surfactants

Y. Usami, T. Ikura, T. Amagata and A. Numata	3711	First total syntheses and configurational assignments of cytotoxic trichodenones A–C
D. Ma and Y. Jiang	3727	Stereocontrolled cyclopropanation of Garner's aldehyde derived enones
J. Młynarski and A. Banaszek	3737	Synthetic approach to 3-deoxy-D-*manno*-oct-2-ulosonic acid (Kdo) α-disaccharides via a ketene dithioacetal
A. Port, A. Virgili, A. Alvarez-Larena and J. F. Piniella	3747	Preparation of enantiomers of 1-(1-naphthyl)-2,2-dimethylpropylamine and their behaviour as chiral solvating agents: study of diastereochemic association by Job's plots and intermolecular NOE measurements
G. Reginato, A. Mordini, M. Verrucci, A. Degl'Innocenti and A. Capperucci	3759	A new approach to non racemic saturated and unsaturated 5-aminoalkyl methyl ketones
J. M. Jordá-Gregori, M. E. González-Rosende, P. Cava-Montesinos, J. Sepúlveda-Arques, R. Galeazzi and M. Orena	3769	1,3-Oxazin-2-ones vs tetrahydrofurans by iodocyclisation of 2-alkoxycarbonylamino-3-alken-1-ols
J. L. Vicario, D. Badía, E. Domínguez and L. Carrillo	3779	Stereocontrolled metalloenamine alkylations: application to the asymmetric synthesis of 4-alkyl-1,2,3,4-tetrahydroisoquinolines
A. Nishida, F. Shirato and M. Nakagawa	3789	Application of new chiral auxiliaries, *trans*-2-(*N*-arylsulfonyl-*N*-benzyl)-cyclohexanols, in an asymmetric radical cyclization
T. Inoue, H. Kiyota and T. Oritani	3807	Synthesis of both enantiomers of *cis*-α-irone and *cis*-γ-irone, principal constituents of iris oil, via resolution of (±)-2,2,4-trimethyl-3-cyclohexene-1-carboxylic acid
H. Cotton, T. Elebring, M. Larsson, L. Li, H. Sörensen and S. von Unge	3819	Asymmetric synthesis of esomeprazole
T. Brinkmann, A. Gilg, A. Hamm, H. Lüsch, G. Morbach and H. C. Uzar	3827	Reaction of aspartic acid derivatives with Grignard reagents—synthesis of γ,γ-disubstituted α- and β-amino-butyrolactones
K. Tanaka and H. Sawanishi	3837	Stereospecific synthesis of differentially protected (2*S*,4*S*)-2,4-diaminoglutaric acid suitable for incorporation into peptides
	A483	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 19

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
S. Pinheiro, S. F. Pedraza, F. M. C. Farias, A. S. Gonçalves and P. R. R. Costa	3845	The regio- and stereoselective oxyamination of pinenes and camphene
A. Stončius, C. A. Mast and N. Sewald	3849	Control of diastereofacial discrimination in the conjugate addition to 5-phenyl-1,3-dioxolan-4-yl substituted propenoate
S. Kitagaki, M. Kinoshita, M. Takeba, M. Anada and S. Hashimoto	3855	Enantioselective Si–H insertion of methyl phenyldiazoacetate catalyzed by dirhodium(II) carboxylates incorporating *N*-phthaloyl-(*S*)-amino acids as chiral bridging ligands

D. Enders and E. C. Ullrich	3861	Asymmetric pinacol coupling of aromatic aldehydes with $TiCl_2$ enantiopure amine or hydrazine reagents
R. Aslanian, G. Lee, R. V. Iyer, N.-Y. Shih, J. J. Piwinski, R. W. Draper and A. T. McPhail	3867	An asymmetric synthesis of the novel H_3 agonist (+)-(3*R*,4*R*)-3-(4-imidazolyl)-4-methylpyrrolidine dihydrochloride (Sch 50971)
S. Jiang, G. Singh and A. S. Batsanov	3873	Synthesis of a difluorinated carbasugar from D-ribose via intramolecular nitrone cycloaddition reaction
C. G. Francisco, A. J. Herrera and E. Suárez	3879	Intramolecular hydrogen abstraction promoted by *N*-radicals: synthesis of chiral 7-oxa-2-azabicyclo[2.2.1]heptane and 8-oxa-6-azabicyclo[3.2.1]-octane ring systems
M. Shimizu, S. Yamada, Y. Fujita and F. Kobayashi	3883	Highly stereocontrolled reduction of 1,3-cyclopentanediones using oxazaborolidine BH_3
		ARTICLES
Y. Zhao, Y. Wu, P. De Clercq, M. Vandewalle, P. Maillos and J.-C. Pascal	3887	Asymmetrization of all-*cis*-3,5-dihydroxy-1-(methoxycarbonyl)cyclohexane and of the 4-methyl and 4-ethyl substituted homologues
G. Uccello-Barretta, S. Samaritani, R. Menicagli and P. Salvadori	3901	2,4,6-Tri[(*S*)-1'-methylbenzylamino]-1,3,5-triazine: a new NMR chiral solvating agent for 3,5-dinitrophenyl derivatives; an attempt at a chiral discrimination rationale
M. Cellier, Y. Gelas-Mialhe, H.-P. Husson, B. Perrin and R. Remuson	3913	Enantioselective synthesis of 5-substituted pipecolic acids using an intramolecular allylsilane-iminium ion cyclization
A. Graziani, P. Passacantilli, G. Piancatelli and S. Tani	3921	2-Deoxy-disaccharide approach to natural and unnatural glycosphingolipids synthesis
D. Moulin, S. Bago, C. Bauduin, C. Darcel and S. Jugé	3939	Asymmetric synthesis of P-stereogenic *o*-hydroxyarylphosphine (borane) and phosphine-phosphinite ligands
A. Liljeblad, J. Lindborg and L. T. Kanerva	3957	Acylase I in the alcoholysis of α-substituted dicarboxylic acid esters and derivatives: enantio- and regioselectivity
V. V. Dunina, O. N. Gorunova, M. V. Livantsov, Y. K. Grishin, L. G. Kuz'mina, N. A. Kataeva and A. V. Churakov	3967	First enantiopure phosphapalladacycle with planar chirality. X-Ray study of the racemic dimer and (S_P,S_C,S_N)-diastereomer of its prolinate derivative
S. Jew, E. Roh, H. Kim, M. G. Kim and H. Park	3985	Enantioselective synthesis of (*S*)-*N*,*N*-diethyl-2-formyl-2-(methoxymethoxy)butyramide, a key intermediate for 20(*S*)-camptothecin analogues, via asymmetric bromolactonization
Y. Wang and P. Metz	3995	Resolution of methyl nonactate
N. Faucher, J.-C. Cintrat, M. Nierlich and B. Rousseau	4001	Stereoselective synthesis of a methylene group by asymmetric reduction of 2-methoxy-4,5-diphenyl-3-tosyl-1,3-oxazolidine
H. Kodama, T. Taiji, T. Ohta and I. Furukawa	4009	Palladium-catalyzed asymmetric allylic substitution using novel phosphino-ester (PHEST) ligands with 1,1'-binaphthyl skeleton
M. Pallavicini, E. Valoti, L. Villa and O. Piccolo	4017	Resolution of β-unsaturated amines with isopropylidene glycerol hydrogen phthalate
G. Chelucci, G. A. Pinna, A. Saba and R. Valenti	4027	Unexpected reversal of the enantioselectivity using chiral quinolylmethyl- and acridinin yloxazolines as ligands for asymmetric palladium-catalyzed allylic alkylation
	4037	Corrigendum
	A513	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 20

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
A. Mandoli, D. Pini, A. Agostini and P. Salvadori	4039	Heterogeneous asymmetric catalytic aminohydroxylation promoted by a bis-Cinchona alkaloid derivative supported onto an insoluble organic polymeric matrix
S. Yasuike, S. Okajima, K. Yamaguchi, H. Seki and J. Kurita	4043	Synthesis and resolution of 2,2′-bis[di(*p*-tolyl)stibano]-1,1′-binaphthyl (BINASb); the first example of an optically active organoantimony ligand for asymmetric synthesis
A. Saitoh, T. Uda and T. Morimoto	4049	Induction of reversal chirality by C_2-symmetric diamide linked-diphosphine ligands in catalytic asymmetric allylations
L. Veum, H. Brouard, P. Meffre, M. Larchevêque, D. Buisson, E. Demousseau and R. Azerad	4055	Chemoenzymatic synthesis of enantiopure 1,1′-disubstituted ferrocenyl aminoalcohols
		ARTICLES
O. Barabás, D. K. Menyhárd, Z. Böcskei, K. Simon, I. Kiss-Ajzert, K. Takács and I. Hermecz	4061	Structural basis of solid solution formation during chiral resolution
H. B. Mereyala, M. Joe and R. R. Gadikota	4071	Synthesis of harzialactone A and its isomers from D-glucose and assignment of absolute stereochemistry
T. Fukuda, A. Takehara, N. Haniu and M. Iwao	4083	Synthesis of chiral primary 1-ferrocenylalkylamines via highly diastereoselective addition of organolithium compounds to ferrocenecarboxaldehyde imine derived from (*S*)-2-methoxy-1-phenylethylamine
M. Leiva de Faria, R. de A. Magalhães, F. C. Silva, L. G. de O. Matias, M. A. Ceschi, U. Brocksom and T. J. Brocksom	4093	Enantiodivergent syntheses of cycloheptenone intermediates for guaiane sesquiterpenes
J. Guo, D. W. Knapp and S. Boegeman	4105	A practical preparation of enantiomerically pure (*R*)- and (*S*)-2-bromohexadecanoic acids
S. W. Johnson, D. Angus, C. Taillefumier, J. H. Jones, D. J. Watkin, E. Floyd, J. G. Buchanan and G. W. J. Fleet	4113	Two epimerisations in the formation of oxetanes from L-rhamnose: towards oxetane-containing peptidomimetics
N. Hanyu, T. Aoki, T. Mino, M. Sakamoto and T. Fujita	4127	New chiral 1,4-aminoalcohols derived from (+)-camphor and (−)-fenchone for the enantioselective addition of diethylzinc to aldehyde
C. Saotome, M. Ono and H. Akita	4137	Chemoenzymatic syntheses of *N*-trifluoroacetyl-L-daunosamine, *N*-trifluoroacetyl-L-acosamine, *N*-benzoyl-D-acosamine, and *N*-benzoyl-D-ristosamine from an achiral precursor, methyl sorbate
Y. Wang, H. Guo and K. Ding	4153	Synthesis of novel N,P chiral ligands for palladium-catalyzed asymmetric allylations: the effect of binaphthyl backbone on the enantioselectivity
H. Doucet and M. Santelli	4163	Titanium catalysed enantioselective addition of allyltributyltin to aldehydes: a simple and easily reproducible procedure
B. Wirz, H. Iding and H. Hilpert	4171	Multiselective enzymatic reactions for the synthesis of protected homochiral *cis*- and *trans*-1,3,5-cyclohexanetriols
F. Fülöp, M. Palkó, J. Kámán, L. Lázár and R. Sillanpää	4179	Synthesis of all four enantiomers of 1-aminoindane-2-carboxylic acid, a new cispentacin benzologue
E. Bourgeaux and J.-C. Combret	4189	General access to asymmetric γ-cyclodextrins for gas chromatographic applications by insertion of a selectively modified sugar unit
N. Arroyo, U. Haslinger, K. Mereiter and M. Widhalm	4207	Synthesis of a new class of chiral aminoalcohols and their application in the enantioselective addition of diethylzinc to aldehydes
L. Minuti, A. Taticchi and A. Marrocchi	4221	An improved synthesis of (*S*)-(+)- and (*R*)-(−)-4-ethenyl[2.2]paracyclophane

A. Guarna, E. G. Occhiato, M. Pizzetti, D. Scarpi, S. Sisi and M. van Sterkenburg — 4227 — Stereoselective Meisenheimer rearrangement using BTAa's as chiral auxiliaries

A537 — Stereochemistry abstracts

I — Instructions to contributors

VII — Cumulative author index

NUMBER 21

Contents

v — Contributors to this issue

vii — Graphical abstracts

COMMUNICATIONS

A. C. Pinto, R. V. Abdala and P. R. R. Costa — 4239 — Synthesis of chiral pyrrolidine and pyrrole derivatives through the chemoselective Dieckmann reaction of α,β-aminodiesters

A. Alexakis and A.-S. Chauvin — 4245 — TADDOL organophosphorus derivatising agents for the determination of the enantiomeric excess of chiral alcohols and carboxylic acids by ^{31}P and ^{1}H NMR spectroscopy

S. Tanji, Y. Kodaka, A. Ohno, T. Shibata, I. Sato and K. Soai — 4249 — Asymmetric autocatalysis of 5-carbamoyl-3-pyridyl alkanols with amplification of enantiomeric excess

ARTICLES

Q. Meng, Y. Li, Y. He and Y. Guan — 4255 — Novel thiazolidine derivatives as chiral catalysts in the enantioselective addition of diethylzinc to aldehydes

H. I. Pérez, H. Luna, N. Manjarrez, A. Solís and Ma. A. Nuñez — 4263 — Enantioselective oxidation of diaryl carbinols by *Nocardia corallina* B-276

P. Bayón, P. de March, M. Figueredo, J. Font and J. Medrano — 4269 — Use of chiral B(III) complexes in the cycloaddition of *C,N*-diphenylnitrone to *tert*-butyl vinyl ether

M. C. Carreño, J. L. García Ruano, C. Z. Remor and A. Urbano — 4279 — Regio- and stereoselectivity in Diels–Alder reactions of 1,2-disubstituted dienes with enantiopure (*SS*)-(*p*-tolylsulfinyl)-1,4-benzoquinones

L. Gong, G. Chen, A. Mi, Y. Jiang, F. Fu, X. Cui and A. S. C. Chan — 4297 — Chiral aminophosphine phosphinite–palladium catalysts in asymmetric allylic alkylations

G. B. Jones, M. Guzel and S. B. Heaton — 4303 — Enantioselective catalysis using planar chiral η^6-arene chromium complexes: 1,2-diols as cycloaddition catalysts

X. Shen, H. Guo and K. Ding — 4321 — The synthesis of a novel non-C_2 symmetric H_4-BINOL ligand and its application to titanium-catalyzed enantioselective addition of diethylzinc to aldehydes

S. Sato, H. Watanabe and M. Asami — 4329 — Catalytic asymmetric borane reduction of prochiral ketones by the use of diazaborolidine catalysts prepared from chiral β-diamines

D. Lötscher, S. Rupprecht, H. Stoeckli-Evans and A. von Zelewsky — 4341 — Enantioselective catalytic cyclopropanation of styrenes by copper complexes with chiral pinene-[5,6]-bipyridine ligands

Y. Wu and X. Shen — 4359 — A high-yielding low-cost facile synthesis of 2-oxazolidinones chiral auxiliaries

A. Ali, V. U. Ahmad, B. Ziemer and J. Liebscher — 4365 — Stereoselective synthesis of 3,4-disubstituted pyroglutamates by ring transformation of 5-ylidene-1,3-dioxan-4-ones with *N*-(diphenylmethylene)-glycinate

O. Pàmies, M. Diéguez, G. Net, A. Ruiz and C. Claver — 4377 — Highly active and enantioselective copper-catalyzed conjugate addition of diethylzinc to cyclohexenone using sugar derivative diphosphites

J. L. García Ruano, D. Barros, M. C. Maestro, A. M. Martín Castro and P. R. Raithby — 4385 — Highly stereoselective additions of sulfur stabilized carbanions to [(S)*R*]-2-(*p*-tolylsulfinyl)cyclohexanones

M. Roberti, R. Rondanin, R. Ferroni, R. Baruchello, F. P. Invidiata, V. Andrisano, C. Bertucci, V. Bertolasi, S. Grimaudo, M. Tolomeo and D. Simoni — 4397 — Pig liver esterase (PLE)-mediated resolution of *N*-substituted 4-benzoyloxy-3-carbomethoxypiperidines: a convenient preparation of 4-hydroxy- and 4-benzoyloxy-3-carbomethoxypiperidines in enantiomerically pure form

A. Cevallos, R. Rios, A. Moyano, M. A. Pericàs and A. Riera — 4407 — A convenient synthesis of chiral 2-alkynyl-1,3-oxazolines

G. Delogu, D. Fabbri, M. A. Dettori, A. Forni and G. Casalone — 4417 — Chiral nonracemic C_2-symmetric biphenyls by desymmetrization of 6,6',2,2'-tetramethoxy-1,1'-biphenyl

A563 — Stereochemistry abstracts

I — Instructions to contributors

IX — Cumulative author index

NUMBER 22

Contents

v — Contributors to this issue

vii — Graphical abstracts

COMMUNICATIONS

G. Wang and R. I. Hollingsworth — 4429 — A simple three-step method for preparing homochiral 5-trityloxymethyl-2-oxazolidinones from optically active 3-hydroxy-γ-butyrolactones

L. Kollár, Z. Berente, H. Forintos and G. Keglevich — 4433 — Detection of the enantiomers of P-stereogenic pentacoordinated phosphorus compounds: ^{31}P NMR of oxaphosphetes in optically active solvents

A. García Martínez, E. Teso Vilar, A. García Fraile, S. de la Moya Cerero and B. Lora Maroto — 4437 — A new straightforward preparation of enantiopure 10-hydroxycamphor

S. Reymond, J. M. Brunel and G. Buono — 4441 — New development in the enantioselective ring opening of *meso*-epoxides by various chloride ion silicon sources catalyzed by an *o*-methoxyaryldiazaphosphonamide Lewis base

X. Yang, L. Buzon, E. Hamanaka and K. K.-C. Liu — 4447 — Enzymatic resolution of benzothiazepine for the preparation of squalene synthetase inhibitors

ARTICLES

K. C. Williamson, C. Morisseau, J. E. Maxwell and B. D. Hammock — 4451 — Regio- and enantioselective hydrolysis of phenyloxiranes catalyzed by soluble epoxide hydrolase

P. Radha Krishna, B. Lavanya, A. Ilangovan and G. V. M. Sharma — 4463 — Stereoselective synthesis of C-alkyl and functionalised C-alkyl glycosides using 'thiophene' as a masked C-4 synthon

P. de March, M. Escoda, M. Figueredo, J. Font, E. García-García and S. Rodríguez — 4473 — New, highly efficient syntheses of *rac*-, (*R*)- and (*S*)-4-hydroxy-2-cyclohexenone

H. Kamamoto, V. A. Mamedov, M. Kitamoto, N. Hayashi and S. Tsuboi — 4485 — Chemoenzymatic synthesis of the C-13 side chain of paclitaxel (Taxol) and docetaxel (Taxotere)

G. V. M. Sharma, T. R. Prasad, P. Radha Krishna, K. Krishnudu, M. H. V. Ramana Rao and A. C. Kunwar	4499	Stereoselective synthesis of highly oxygenated cyclohexanes through a [3+3] annulation approach
I. Izquierdo, M. T. Plaza, R. Robles and A. J. Mota	4509	Synthesis of 4-octuloses. Part 7: Highly stereoselective synthesis of 2,3-anhydrosugar derivatives as key intermediates in the preparation of sugar β-lactams
Y. Matsukawa, J. S. D. Kumar, Y. Yoneyama, T. Katagiri and K. Uneyama	4521	Reversed diastereoselectivity in the ring-opening reaction of (*S*)-TFPO with a chiral aminoacetonitrile Schiff base
K. Sugawara, Y. Imanishi and T. Hashiyama	4529	Efficient and practical synthesis of both enantiomers of 6-silyloxy-3-pyranone derivatives
H. Pajouhesh, J. Chen and S. H. Pajouhesh	4537	An efficient and stereoselective synthesis of (2*S*,1′*S*,2′*S*)-2-(carboxycyclopropyl) glycine (LCCG-I): conformationally constrained L-glutamate analogues
S. Jones and J. C. C. Atherton	4543	Asymmetric reduction using *N*-methyl and *N*-benzyl oxazaborolidines based upon *cis*-1-amino-2-indanol: a preliminary mechanistic study
J. Clariana, S. García-Granda, V. Gotor, A. Gutiérrez-Fernández, A. Luna, M. Moreno-Mañas and A. Vallribera	4549	Preparation of (*R*)-(1-adamantyl)glycine and (*R*)-2-(1-adamantyl)-2-aminoethanol: a combination of cobalt-mediated β-ketoester alkylation and enzyme-based aminoalcohol resolution
A. Sobolev, M. C. R. Franssen, N. Makarova, G. Duburs and A. de Groot	4559	*Candida antarctica* lipase-catalyzed hydrolysis of 4-substituted bis(ethoxycarbonylmethyl) 1,4-dihydropyridine-3,5-dicarboxylates as the key step in the synthesis of optically active dihydropyridines
Z. Szakonyi, T. Martinek, A. Hetényi and F. Fülöp	4571	Synthesis and transformations of enantiomeric 1,2-disubstituted monoterpene derivatives
C. Chapuis, A. Kucharska and J. Jurczak	4581	A comparison of two effective chiral auxiliaries—(2*R*)-bornane-10,2-sultam and (2*R*)-bornane-10,2-cyclohydrazide—using the [4+2] cycloaddition of cyclopentadiene to their *N*,*N*′-fumaroyl derivatives
L. M. van Langen, N. H. P. Oosthoek, D. T. Guranda, F. van Rantwijk, V. K. Švedas and R. A. Sheldon	4593	Penicillin acylase-catalyzed resolution of amines in aqueous organic solvents
S. Lelièvre, F. Mercier, L. Ricard and F. Mathey	4601	Enantiopure 1-phosphanorbornadiene-2-carboxaldehydes
L. J. Missio and J. V. Comasseto	4609	Enantioselective synthesis of (–)-γ-jasmolactone
F. Paradisi, G. Porzi, S. Rinaldi and S. Sandri	4617	Stereoselective synthesis of α,α′-diamino-dicarboxylic acids. Part 2
	A589	Stereochemistry abstracts
	I	Instructions to contributors
	IX	Cumulative author index

NUMBER 23

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
Y. Hong, R. P. Bakale, Q. K. Fang, T. Xiang, Z. Han, F. X. McConville, C. H. Senanayake and S. A. Wald	4623	Synthesis of enantiomerically pure desmethylzopiclone and determination of its absolute configuration

D. J. S. Kumar, S. Madhavan, P. V. Ramachandran and H. C. Brown	4629	Highly enantioselective synthesis of (+)- and (−)-perfluoroalkyl(aryl) homoallyl alcohols
T. Tanaka, T. Kumamoto and T. Ishikawa	4633	Solvent effects on stereoselectivity in 2,3-dimethyl-4-chromanone cyclization by quinine-catalyzed asymmetric intramolecular oxo-Michael addition
C. Agami, F. Couty and G. Evano	4639	Enantioselective synthesis of 2-substituted-*N*-Boc-Δ-4,5-piperidines
M. Tiecco, L. Testaferri, C. Santi, C. Tomassini, F. Marini, L. Bagnoli and A. Temperini	4645	New nitrogen containing chiral diselenides: synthesis and asymmetric addition reactions to olefins
		ARTICLES
F. Martínez, C. Del Campo, J. V. Sinisterra and E. F. Llama	4651	Preparation of halohydrin β-blocker precursors using yeast-catalysed reduction
F. Carrel and P. Vogel	4661	Total synthesis of a protected form of 2,6-anhydro-5-azido-3,5-dideoxy-2-*C*-hydroxymethyl-L-*allo*-heptose; a potential precursor of analogs of *C*-glycosides of neuraminic acid
B. R. Aavula, Q. Cui and E. A. Mash	4681	Synthesis of (*S*)-(−)-β-cuparenone and (*S*)-(−)-cuparene
N. S. Mani and M. Wu	4687	An efficient synthetic route to chiral 4-alkyl-1,2,3,4-tetrahydroquinolines: enantioselective synthesis of (*R*)-4-ethyl-1,2,3,4-tetrahydroquinoline
A. Banaszek and B. Janisz	4693	Observations on the oxirane ring opening reactions of a 2-acetamido-3,4-anhydro sugar and on the inversion of the derived alcohols
M. Diéguez, O. Pàmies, A. Ruiz, S. Castillón and C. Claver	4701	Synthesis of novel diphosphines from D-(+)-glucose. Use in asymmetric hydrogenation
S. Lee, C. W. Lim, J. K. Lee, O.-S. Jung and Y. Lee	4709	One-pot synthesis of C_2-symmetric *N,N'*-diaryl bis(oxazolidin-2-ones) as precursors for *N,N'*-diaryl 2,3-diamino-1,4-butanediols
V. Rolland-Fulcrand, N. Haroune, M.-L. Roumestant and J. Martinez	4719	Efficient chemoenzymatic synthesis of enantiomerically pure β-heterocyclic amino acid derivatives
M. Tsubuki, T. Kamata, M. Nakatani, K. Yamazaki, T. Matsui and T. Honda	4725	Asymmetric [2,3] Wittig rearrangement of crotyl furfuryl ethers
J. L. García Ruano, F. Bercial, A. Fraile, A. M. Martín Castro and M. R. Martín	4737	Stereoselectivity control in Diels–Alder reactions of 4-thiosubstituted 5-alkoxyfuranones: synthesis and reactivity of enantiopure 4-sulfinyl and sulfonyl 5-(*l*-menthyloxy)furan-2(5*H*)-ones
C. G. Arena, D. Drommi and F. Faraone	4753	Steric and chelate ring size effects on the enantioselectivity in palladium-catalyzed allylic alkylation with new chiral P,N-ligands
W. Oppolzer and C. G. Bochet	4761	Asymmetric synthesis of the spirocyclic core of the cylindricine-type alkaloids
K. Fogassy, V. Harmat, Z. Böcskei, G. Tárkányi, L. Töke and F. Faigl	4771	Efficient synthesis and resolution of (±)-1-[2-carboxy-6-(trifluoromethyl)-phenyl]pyrrole-2-carboxylic acid
M. Baumann, B. H. Hauer and U. T. Bornscheuer	4781	Rapid screening of hydrolases for the enantioselective conversion of 'difficult-to-resolve' substrates
J. A. López-Sastre, J. D. Martín-Ramos, J. F. Rodríguez-Amo, M. Santos-García and M. A. Sanz-Tejedor	4791	Stereoselective synthesis of 3-alkylsulfinylmethylisoxazolines and their use as chiral nucleophiles in the chain elongation of 2,3-*O*-isopropylidene-D-glyceraldehyde
F. Fernández, X. García-Mera, C. López, G. Rodríguez and J. E. Rodríguez-Borges	4805	Synthesis and characterization of all stereoisomers of 8-phenylmenthol
	4817	Corrigendum
	A607	Stereochemistry abstracts
	I	Instructions to contributors
	IX	Cumulative author index

NUMBER 24

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

C. Thoelen, J. Paul, I. F. J. Vankelecom and P. A. Jacobs — 4819 Spherical MCM-41 as support material in enantioselective HPLC

K. Takabe, Y. Iida, H. Hiyoshi, M. Ono, Y. Hirose, Y. Fukui, H. Yoda and N. Mase — 4825 Reverse enantioselectivity in the lipase-catalyzed desymmetrization of prochiral 2-carbamoylmethyl-1,3-propanediol derivatives

D. Murali, B. Singaram and H. C. Brown — 4831 Asymmetric hydroboration of [*E*]- and [*Z*]-2-methoxy-2-butenes. Synthesis of (–)-[2*R*,3*R*]-butane-2,3-diol in >97% ee

ARTICLES

M. L. Tommasino, M. Casalta, J. A. J. Breuzard and M. Lemaire — 4835 Asymmetric hydrogenation of enamides with catalysts containing chiral thiourea ligands

R. R. Strickler and A. L. Schwan — 4843 Synthesis and characterization of homochiral cholesteryl 1-alkenesulfinate esters

Y. Chong, G. Gumina and C. K. Chu — 4853 A divergent synthesis of D- and L-carbocyclic 4′-fluoro-2′,3′-dideoxy-nucleosides as potential antiviral agents

Y. Wu, X. Cui, N. Zhou, M. Song, H. Yun, C. Du and Y. Zhu — 4877 Synthesis, isolation and structural characterization of optically active planar chiral cyclomercurated ferrocenylimines

B. Altava, M. I. Burguete, E. García-Verdugo, S. V. Luis, J. F. Miravet and M. J. Vicent — 4885 On the origin of changes in topicity observed in Diels–Alder reactions catalyzed by Ti–TADDOLates

F. Messina, M. Botta, F. Corelli and A. Paladino — 4895 Chiral azole derivatives. Part 5: Synthesis of enantiomerically pure 1-[α-(benzofuran-2-yl)arylmethyl]-1*H*-1,2,4-triazoles, antifungal and antiaromatase agents

A. G. Moglioni, E. García-Expósito, A. Alvarez-Larena, V. Branchadell, G. Y. Moltrasio and R. M. Ortuño — 4903 Stereoselective synthesis of cyclobutyl α-aminocyclopropyl carboxylic acid derivatives

H.-W. Liu, C.-F. Chen, M. Ai, A.-J. Gong, J. Jiang and F. Xi — 4915 Synthesis of optically active 1,1′-binaphthyl-phthalocyanines linked via a crown ether unit

M. Shi, J.-K. Jiang and Y.-S. Feng — 4923 Chiral C_2-symmetric 2,3-disubstituted aziridine and 2,6-disubstituted piperidine as chiral ligands in the addition reaction of diethylzinc with arylaldehydes

A. G. Csákÿ and P. Vogel — 4935 Synthesis of 1,1′-methylenedi[(1*R*,1′*R*,3*R*,3′*R*,5*R*,5′*R*)-8-oxabicyclo[3.2.1]-oct-6-en-3-ol] and derivatives: precursors of long-chain polyketides

C. A. Iriarte Capaccio and O. Varela — 4945 Enantiospecific synthesis of a glycoside of D-*epi*-purpurosamine

H. Pajouhesh, M. Hosseini-Meresht, S. H. Pajouhesh and K. Curry — 4955 Enantioselective synthesis of both enantiomers of the neuroexcitant 2-amino-3-(3-hydroxy-5-*tert*-butylisoxazol-4-yl) propanoic acid (ATPA)

P. Kele, G. Sui, Q. Huo and R. M. Leblanc — 4959 Highly enantioselective synthesis of a fluorescent amino acid

H. Lüsch and H. C. Uzar — 4965 New access to the synthetic building block L-aspartic acid β-semialdehyde via Grignard reaction

G. Revial, I. Jabin and M. Pfau — 4975 Enantioselective synthesis of (+)-α-vetivone through the Michael reaction of chiral imines

R. R. France, I. Cumpstey, T. D. Butters, A. J. Fairbanks and M. R. Wormald — 4985 Fluorescence labelling of carbohydrates with 2-aminobenzamide (2AB)

D. F. Ewing, C. Len, G. Mackenzie, G. Ronco and P. Villa — 4995 Facile separation of chiral 1,3-dihydrobenzo[*c*]furan derivatives using a D-xylose moiety as a protecting group

R. Wilhelm, I. K. Sebhat, A. J. P. White, D. J. Williams and D. A. Widdowson 5003 Asymmetric deprotonation—substitution of arenetricarbonylchromium(0) complexes: substituent controlled lithiation with the butyllithium–sparteine system

5017 Erratum

A635 Stereochemistry abstracts

I Instructions to contributors

IX Cumulative author index

XXIX Volume Contents 2000